

DEPARTMENT OF TRANSPORTATION AGREEMENT NUMBER 230037, STANDARD SERVICES AGREEMENT WITH ALPHA ANALYTICAL LABORATORIES, INC., IN THE AMOUNT OF \$400,000, FOR LABORATORY WATER TESTING SERVICES FOR CASPAR, LAYTONVILLE, AND SOUTH COAST LANDFILLS, FOR THE TERM OF JANUARY 1, 2024, THROUGH DECEMBER 31, 2028

This Agreement is by and between the COUNTY OF MENDOCINO, hereinafter referred to as the "COUNTY", and Alpha Analytical Laboratories, Inc., hereinafter referred to as the "CONSULTANT".

WITNESSETH

WHEREAS, pursuant to Government Code Section 31000, COUNTY may retain independent contractors to perform special services to or for COUNTY or any department thereof; and,

WHEREAS, COUNTY desires to obtain CONSULTANT for its laboratory water testing services; and,

WHEREAS, CONSULTANT is willing to provide such services on the terms and conditions set forth in this AGREEMENT and is willing to provide same to COUNTY.

NOW, THEREFORE it is agreed that COUNTY does hereby retain CONSULTANT to provide the services described in Exhibit "A", and CONSULTANT accepts such engagement, on the General Terms and Conditions hereinafter specified in this Agreement, the Additional Provisions attached hereto, and the following described exhibits, all of which are incorporated into this Agreement by this reference:

Exhibit A	Definition of Services
Exhibit B	Payment Terms
Exhibit C	Insurance Requirements
Exhibit D	Mendocino County ePayables Information
Exhibit E	Analytical Services Quotation

The term of this Agreement shall be from January 1, 2024, through December 31, 2028.

The compensation payable to CONSULTANT hereunder shall not exceed Four Hundred Thousand Dollars (\$400,000) for the term of this Agreement.

IN WITNESS WHEREOF

DEPARTMENT FISCAL REVIEW:

Howard N. Dashiell 9/7/2023
DEPARTMENT HEAD DATE

Budgeted: ☒ Yes ☐ No

Budget Unit: 4511

Line Item: 862189

Grant: ☐ Yes ☒ No

Grant No.: _____

COUNTY OF MENDOCINO

By: Glenn McGourty
GLENN MCGOURTY, Chair
BOARD OF SUPERVISORS

Date: 10/31/2023

ATTEST:

DARCIE ANTLE, Clerk of said Board

By: Aray
Deputy 10/31/2023

I hereby certify that according to the provisions of Government Code section 25103, delivery of this document has been made.

DARCIE ANTLE, Clerk of said Board

By: Aray
Deputy 10/31/2023

INSURANCE REVIEW:

By: Darcie Antle
Risk Management

Date: 09/07/2023

CONSULTANT/COMPANY NAME:

By: [Signature]

NAME AND ADDRESS OF CONSULTANT:

Alpha Analytical Laboratories, Inc.

208 Mason Street

Ukiah, CA 95482

By signing above, signatory warrants and represents that he/she executed this Agreement in his/her authorized capacity and that by his/her signature on this Agreement, he/she or the entity upon behalf of which he/she acted, executed this Agreement

COUNTY COUNSEL REVIEW:

APPROVED AS TO FORM:

CHRISTIAN M. CURTIS,
County Counsel

By: Mar [Signature]
Deputy

Date: 09/07/2023

EXECUTIVE OFFICE/FISCAL REVIEW:

By: [Signature]
Deputy CEO or Designee

Date: 09/07/2023

Signatory Authority: \$0-25,000 Department; \$25,001- 50,000 Purchasing Agent; \$50,001+ Board of Supervisors

Exception to Bid Process Required/Completed ☐

Mendocino County Business License: Valid ☐

Exempt Pursuant to MCC Section: _____

GENERAL TERMS AND CONDITIONS

1. **INDEPENDENT CONTRACTOR:** No relationship of employer and employee is created by this Agreement; it being understood and agreed that CONSULTANT is an Independent Contractor. CONSULTANT is not the agent or employee of the COUNTY in any capacity whatsoever, and COUNTY shall not be liable for any acts or omissions by CONSULTANT nor for any obligations or liabilities incurred by CONSULTANT.

CONSULTANT shall have no claim under this Agreement or otherwise, for seniority, vacation time, vacation pay, sick leave, personal time off, overtime, health insurance medical care, hospital care, retirement benefits, social security, disability, Workers' Compensation, or unemployment insurance benefits, civil service protection, or employee benefits of any kind.

CONSULTANT shall be solely liable for and obligated to pay directly all applicable payroll taxes (including federal and state income taxes) or contributions for unemployment insurance or old age pensions or annuities which are imposed by any governmental entity in connection with the labor used or which are measured by wages, salaries or other remuneration paid to its officers, agents or employees and agrees to indemnify and hold County harmless from any and all liability which COUNTY may incur because of CONSULTANT's failure to pay such amounts.

In carrying out the work contemplated herein, CONSULTANT shall comply with all applicable federal and state workers' compensation and liability laws and regulations with respect to the officers, agents and/or employees conducting and participating in the work; and agrees that such officers, agents, and/or employees will be considered as Independent Contractors and shall not be treated or considered in any way as officers, agents and/or employees of COUNTY.

CONSULTANT does, by this Agreement, agree to perform his/her said work and functions at all times in strict accordance with all applicable federal, state and County laws, including but not limited to prevailing wage laws, ordinances, regulations, titles, departmental procedures and currently approved methods and practices in his/her field and that the sole interest of COUNTY is to ensure that said service shall be performed and rendered in a competent, efficient, timely and satisfactory manner and in accordance with the standards required by the County agency concerned.

Notwithstanding the foregoing, if the COUNTY determines that pursuant to state and federal law CONSULTANT is an employee for purposes of income tax withholding, COUNTY may upon two (2) week's written notice to CONSULTANT, withhold from payments to CONSULTANT hereunder federal and state income taxes and pay said sums to the federal and state governments.

2. **INDEMNIFICATION:** To the furthest extent permitted by law (including without limitation California Civil Code sections 2782 and 2782.8, if applicable), Consultant shall assume the defense of, indemnify, and hold harmless the COUNTY, its officers, agents, and employees, from and against any and all claims, demands, damages, costs, liabilities, and losses whatsoever alleged to be occurring or resulting in connection with CONSULTANT'S performance or its obligations under this AGREEMENT, unless arising out of the sole negligence or willful misconduct of COUNTY. "CONSULTANT'S performance" includes CONSULTANT'S action or inaction and the action or inaction of CONSULTANT'S officers, employees, agents and subcontractors.
3. **INSURANCE AND BOND:** CONSULTANT shall at all times during the term of the Agreement with the COUNTY maintain in force those insurance policies and bonds as designated in the attached Exhibit C, and will comply with all those requirements as stated therein.
4. **WORKERS' COMPENSATION:** CONSULTANT shall provide Workers' Compensation insurance, as applicable, at CONSULTANT 's own cost and expense and further, neither the CONSULTANT nor its carrier shall be entitled to recover from COUNTY any costs, settlements, or expenses of Workers' Compensation claims arising out of this Agreement.

CONSULTANT affirms that s/he is aware of the provisions of Section 3700 of the California Labor Code which requires every employer to be insured against liability for the Workers' Compensation or to undertake self-insurance in accordance with the provisions of the Code and CONSULTANT further assures that s/he will comply with such provisions before commencing the performance of work under this Agreement. CONSULTANT shall furnish to COUNTY certificate(s) of insurance evidencing Worker's Compensation Insurance coverage to cover its employees, and CONSULTANT shall require all subcontractors similarly to provide Workers' Compensation Insurance as required by the Labor Code of the State of California for all of subcontractors' employees.

5. **CONFORMITY WITH LAW AND SAFETY:**
 - a. In performing services under this Agreement, CONSULTANT shall observe and comply with all applicable laws, ordinances, codes and regulations of governmental agencies, including federal, state, municipal, and local governing bodies, having jurisdiction over the scope of services, including all applicable provisions of the California Occupational Safety and Health Act. CONSULTANT shall indemnify and hold COUNTY harmless from any and all liability, fines, penalties and consequences from any of CONSULTANT's failures to comply with such laws, ordinances, codes and regulations.

- b. Accidents: If a death, serious personal injury or substantial property damage occurs in connection with CONSULTANT's performance of this Agreement, CONSULTANT shall immediately notify Mendocino County Risk Manager's Office by telephone. CONSULTANT shall promptly submit to COUNTY a written report, in such form as may be required by COUNTY of all accidents which occur in connection with this Agreement. This report must include the following information: (1) name and address of the injured or deceased person(s); (2) name and address of CONSULTANT 's sub-contractor, if any; (3) name and address of CONSULTANT 's liability insurance carrier; and (4) a detailed description of the accident and whether any of COUNTY's equipment, tools, material, or staff were involved.
 - c. CONSULTANT further agrees to take all reasonable steps to preserve all physical evidence and information which may be relevant to the circumstances surrounding a potential claim, while maintaining public safety, and to grant to the COUNTY the opportunity to review and inspect such evidence, including the scene of the accident.
6. PAYMENT: For services performed in accordance with this Agreement, payment shall be made to CONSULTANT as provided in Exhibit "B" hereto as funding permits.

If COUNTY over pays CONSULTANT for any reason, CONSULTANT agrees to return the amount of such overpayment to COUNTY, or at COUNTY's option, permit COUNTY to offset the amount of such overpayment against future payments owed to CONSULTANT under this Agreement or any other agreement.

In the event CONSULTANT claims or receives payment from COUNTY for a service, reimbursement for which is later disallowed by COUNTY, State of California or the United States Government, the CONSULTANT shall promptly refund the disallowance amount to COUNTY upon request, or at its option COUNTY may offset the amount disallowed from any payment due or that becomes due to CONSULTANT under this Agreement or any other agreement.

All invoices, receipts, or other requests for payment under this contract must be submitted by CONSULTANT to COUNTY in a timely manner and consistent with the terms specified in Exhibit B. In no event shall COUNTY be obligated to pay any request for payment for which a written request for payment and all required documentation was first received more than six (6) months after this Agreement has terminated, or beyond such other time limit as may be set forth in Exhibit B.

7. TAXES: Payment of all applicable federal, state, and local taxes shall be the sole responsibility of the CONSULTANT.

8. **OWNERSHIP OF DOCUMENTS:** CONSULTANT hereby assigns the COUNTY and its assignees all copyright and other use rights in any and all proposals, plans, specification, designs, drawings, sketches, renderings, models, reports and related documents (including computerized or electronic copies) respecting in any way the subject matter of this Agreement, whether prepared by the COUNTY, the CONSULTANT, the CONSULTANT's subcontractors or third parties at the request of the CONSULTANT (collectively, "Documents and Materials"). This explicitly includes the electronic copies of all above stated documentation.

CONSULTANT shall be permitted to retain copies, including reproducible copies and computerized copies, of said Documents and Materials. CONSULTANT agrees to take such further steps as may be reasonably requested by COUNTY to implement the aforesaid assignment. If for any reason said assignment is not effective, CONSULTANT hereby grants the COUNTY and any assignee of the COUNTY an express royalty – free license to retain and use said Documents and Materials. The COUNTY's rights under this paragraph shall apply regardless of the degree of completion of the Documents and Materials and whether or not CONSULTANT's services as set forth in Exhibit "A" of this Agreement have been fully performed or paid for.

The COUNTY's rights under this Paragraph 8 shall not extend to any computer software used to create such Documents and Materials.

9. **CONFLICT OF INTEREST:** The CONSULTANT covenants that it presently has no interest, and shall not have any interest, direct or indirect, which would conflict in any manner with the performance of services required under this Agreement.
10. **NOTICES:** All notices, requests, demands, or other communications under this Agreement shall be in writing. Notices shall be given for all purposes as follows:

Personal delivery: When personally delivered to the recipient, notices are effective on delivery.

First Class Mail: When mailed first class to the last address of the recipient known to the party giving notice, notice is effective three (3) mail delivery days after deposit in a United States Postal Service office or mailbox. **Certified Mail:** When mailed certified mail, return receipt requested, notice is effective on receipt, if delivery is confirmed by a return receipt.

Overnight Delivery: When delivered by overnight delivery (Federal Express/Airborne/United Parcel Service/DHL WorldWide Express) with charges prepaid or charged to the sender's account, notice is effective on delivery, if delivery is confirmed by the delivery service.

Facsimile transmission: When sent by facsimile to the facsimile number of the recipient known to the party giving notice, notice is effective on receipt, provided that, (a) a duplicate copy of the notice is promptly given by first-class or certified mail or by overnight delivery, or (b) the receiving party delivers a written confirmation of receipt. Any notice given facsimile shall be deemed received on the next business day if it is received after 5:00 p.m. (recipient's time) or on a non-business day.

Addresses for purpose of giving notice are as follows:

To COUNTY: Mendocino County Department of Transportation
340 Lake Mendocino Drive
Ukiah, CA 95482
Attn: Amber Fisette

To CONSULTANT: Alpha Analytical Laboratories, Inc.
208 Mason Street
Ukiah, CA 95482
ATTN: Sheri Speaks

Any correctly addressed notice that is refused, unclaimed, or undeliverable because of an act or omission of the party to be notified shall be deemed effective as of the first date that said notice was refused, unclaimed, or deemed undeliverable by the postal authorities, messenger, or overnight delivery service.

Any party may change its address or facsimile number by giving the other party notice of the change in any manner permitted by this Agreement.

11. USE OF COUNTY PROPERTY: CONSULTANT shall not use County property (including equipment, instruments and supplies) or personnel for any purpose other than in the performance of his/her obligations under this Agreement.
12. EQUAL EMPLOYMENT OPPORTUNITY PRACTICES PROVISIONS: certifies CONSULTANT that it will comply with all Federal, State, and local laws, rules and regulations pertaining to nondiscrimination in employment.
 - a. CONSULTANT shall, in all solicitations or advertisements for applicants for employment placed as a result of this Agreement, state that it is an "Equal Opportunity Employer" or that all qualified applicants will receive consideration for employment without regard to their race, creed, color, pregnancy, disability, sex, sexual orientation, gender identity, ancestry, national origin, age, religion, Veteran's status, political affiliation, or any other factor prohibited by law.

- b. CONSULTANT shall, if requested to so do by the COUNTY, certify that it has not, in the performance of this Agreement, engaged in any unlawful discrimination.
 - c. If requested to do so by the COUNTY, CONSULTANT shall provide the COUNTY with access to copies of all of its records pertaining or relating to its employment practices, except to the extent such records or portions of such records are confidential or privileged under State or Federal law.
 - d. Nothing contained in this Agreement shall be construed in any manner so as to require or permit any act which is prohibited by law.
 - e. The CONSULTANT shall include the provisions set forth in this paragraph in each of its subcontracts.
13. DRUG-FREE WORKPLACE: CONSULTANT and CONSULTANT 's employees shall comply with the COUNTY's policy of maintaining a drug-free workplace. Neither CONSULTANT nor CONSULTANT 's employees shall unlawfully manufacture, distribute, dispense, possess or use controlled substances, as defined in 21 U.S. Code § 812, including, but not limited to, marijuana, heroin, cocaine, and amphetamines, at any COUNTY facility or work site. If CONSULTANT or any employee of CONSULTANT is convicted or pleads *nolo contendere* to a criminal drug statute violation occurring at a County facility or work site, the CONSULTANT, within five days thereafter, shall notify the head of the County department/agency for which the contract services are performed. Violation of this provision shall constitute a material breach of this Agreement.
14. ENERGY CONSERVATION: CONSULTANT agrees to comply with the mandatory standards and policies relating to energy efficiency in the State of California Energy Conservation Plan, (Title 24, California Administrative Code).
15. COMPLIANCE WITH LICENSING REQUIREMENTS: CONSULTANT shall comply with all necessary licensing requirements and shall obtain appropriate licenses. To the extent required by law, s CONSULTANT shall display licenses in a location that is reasonably conspicuous. Upon COUNTY's request, CONSULTANT shall file copies of same with the County Executive Office.

CONSULTANT represents and warrants to COUNTY that CONSULTANT and its employees, agents, and any subcontractors have all licenses, permits, qualifications, and approvals of whatsoever nature that are legally required to practice their respective professions.

16. AUDITS; ACCESS TO RECORDS: The CONSULTANT shall make available to the COUNTY, its authorized agents, officers, or employees, for examination any and all ledgers, books of accounts, invoices, vouchers, cancelled checks, and

other records or documents evidencing or relating to the expenditures and disbursements charged to the COUNTY, and shall furnish to the COUNTY, within sixty (60) days after examination, its authorized agents, officers or employees such other evidence or information as the COUNTY may require with regard to any such expenditure or disbursement charged by the CONSULTANT.

The CONSULTANT shall maintain full and adequate records in accordance with County requirements to show the actual costs incurred by the CONSULTANT in the performance of this Agreement. If such books and records are not kept and maintained by CONSULTANT within the County of Mendocino, California, CONSULTANT shall, upon request of the COUNTY, make such books and records available to the COUNTY for inspection at a location within County or CONSULTANT shall pay to the COUNTY the reasonable, and necessary costs incurred by the COUNTY in inspecting CONSULTANT's books and records, including, but not limited to, travel, lodging and subsistence costs. CONSULTANT shall provide such assistance as may be reasonably required in the course of such inspection. The COUNTY further reserves the right to examine and reexamine said books, records and data during the four (4) year period following termination of this Agreement or completion of all work hereunder, as evidenced in writing by the COUNTY, and the CONSULTANT shall in no event dispose of, destroy, alter, or mutilate said books, records, accounts, and data in any manner whatsoever for four (4) years after the COUNTY makes the final or last payment or within four (4) years after any pending issues between the COUNTY and CONSULTANT with respect to this Agreement are closed, whichever is later.

17. **DOCUMENTS AND MATERIALS:** CONSULTANT shall maintain and make available to COUNTY for its inspection and use during the term of this Agreement, all Documents and Materials, as defined in Paragraph 8 of this Agreement. CONSULTANT's obligations under the preceding sentence shall continue for four (4) years following termination or expiration of this Agreement or the completion of all work hereunder (as evidenced in writing by COUNTY), and CONSULTANT shall in no event dispose of, destroy, alter or mutilate said Documents and Materials, for four (4) years following the COUNTY's last payment to CONSULTANT under this Agreement.
18. **TIME OF ESSENCE:** Time is of the essence in respect to all provisions of this Agreement that specify a time for performance; provided, however, that the foregoing shall not be construed to limit or deprive a party of the benefits of any grace or use period allowed in this Agreement.
19. **TERMINATION:** The COUNTY has and reserves the right to suspend, terminate or abandon the execution of any work by the CONSULTANT without cause at any time upon giving to the CONSULTANT notice. Such notice shall be in writing and may be issued by any county officer authorized to execute or amend the contract, the County Chief Executive Officer, or any other person designated by the County Board of Supervisors. In the event that the COUNTY should

abandon, terminate or suspend the CONSULTANT's work, the CONSULTANT shall be entitled to payment for services provided hereunder prior to the effective date of said suspension, termination or abandonment. Said payment shall be computed in accordance with Exhibit B hereto, provided that the maximum amount payable to CONSULTANT for its laboratory water testing services shall not exceed \$400,000 payment for services provided hereunder prior to the effective date of said suspension, termination or abandonment or lack of funding.

20. **NON APPROPRIATION:** If COUNTY should not appropriate or otherwise make available funds sufficient to purchase, lease, operate or maintain the products set forth in this Agreement, or other means of performing the same functions of such products, COUNTY may unilaterally terminate this Agreement only upon thirty (30) days written notice to CONSULTANT. Upon termination, COUNTY shall remit payment for all products and services delivered to COUNTY and all expenses incurred by CONSULTANT prior to CONSULTANT'S receipt of the termination notice.
21. **CHOICE OF LAW:** This Agreement, and any dispute arising from the relationship between the parties to this Agreement, shall be governed by the laws of the State of California, excluding any laws that direct the application of another jurisdiction's laws.
22. **VENUE:** All lawsuits relating to this contract must be filed in Mendocino County Superior Court, Mendocino County, California.
23. **WAIVER:** No waiver of a breach, failure of any condition, or any right or remedy contained in or granted by the provisions of this Agreement shall be effective unless it is in writing and signed by the party waiving the breach, failure, right or remedy. No waiver of any breach, failure, right or remedy shall be deemed a waiver of any other breach, failure, right or remedy, whether or not similar, nor shall any waiver constitute a continuing waiver unless the writing so specifies.
24. **ADVERTISING OR PUBLICITY:** CONSULTANT shall not use the name of County, its officers, directors, employees or agents, in advertising or publicity releases or otherwise without securing the prior written consent of COUNTY in each instance.
25. **ENTIRE AGREEMENT:** This Agreement, including all attachments, exhibits, and any other documents specifically incorporated into this Agreement, shall constitute the entire agreement between COUNTY and CONSULTANT relating to the subject matter of this Agreement. As used herein, Agreement refers to and includes any documents incorporated herein by reference and any exhibits or attachments. This Agreement supersedes and merges all previous understandings, and all other agreements, written or oral, between the parties and sets forth the entire understanding of the parties regarding the subject matter thereof. This Agreement may not be modified except by a written document

signed by both parties. In the event of a conflict between the body of this Agreement and any of the Exhibits, the provisions in the body of this Agreement shall control.

26. HEADINGS: Herein are for convenience of reference only and shall in no way affect interpretation of this Agreement.
27. MODIFICATION OF AGREEMENT: This Agreement may be supplemented, amended or modified only by the mutual agreement of the parties. No supplement, amendment or modification of this Agreement shall be binding unless it is in writing and signed by authorized representatives of both parties.
28. ASSURANCE OF PERFORMANCE: If at any time the COUNTY has good objective cause to believe CONSULTANT may not be adequately performing its obligations under this Agreement or that CONSULTANT may fail to complete the Services as required by this Agreement, COUNTY may request from CONSULTANT prompt written assurances of performance and a written plan acceptable to COUNTY, to correct the observed deficiencies in CONSULTANT's performance. CONSULTANT shall provide such written assurances and written plan within thirty (30) calendar days of its receipt of COUNTY's request and shall thereafter diligently commence and fully perform such written plan. CONSULTANT acknowledges and agrees that any failure to provide such written assurances and written plan within the required time is a material breach under this Agreement.
29. SUBCONTRACTING/ASSIGNMENT: CONSULTANT shall not subcontract, assign or delegate any portion of this Agreement or any duties or obligations hereunder without the COUNTY's prior written approval.
 - a. Neither party shall, on the basis of this Agreement, contract on behalf of or in the name of the other party. Any agreement that violates this Section shall confer no rights on any party and shall be null and void.
 - b. Only the department head or his or her designee shall have the authority to approve subcontractor(s).
 - c. CONSULTANT shall remain fully responsible for compliance by its subcontractors with all the terms of this Agreement, regardless of the terms of any agreement between CONSULTANT and its subcontractors.
30. SURVIVAL: The obligations of this Agreement, which by their nature would continue beyond the termination on expiration of the Agreement, including without limitation, the obligations regarding Indemnification (Paragraph 2), Ownership of Documents (Paragraph 8), and Conflict of Interest (Paragraph 9), shall survive termination or expiration for two (2) years.

31. SEVERABILITY: If a court of competent jurisdiction holds any provision of this Agreement to be illegal, unenforceable, or invalid in whole or in part for any reason, the validity and enforceability of the remaining provisions, or portions of them, will not be affected, unless an essential purpose of this Agreement would be defeated by the loss of the illegal, unenforceable, or invalid provision.
32. INTELLECTUAL PROPERTY WARRANTY: CONSULTANT warrants and represents that it has secured all rights and licenses necessary for any and all materials, services, processes, software, or hardware ("CONSULTANT PRODUCTS") to be provided by CONSULTANT in the performance of this AGREEMENT, including but not limited to any copyright, trademark, patent, trade secret, or right of publicity rights. CONSULTANT hereby grants to COUNTY, or represents that it has secured from third parties, an irrevocable license (or sublicense) to reproduce, distribute, perform, display, prepare derivative works, make, use, sell, import, use in commerce, or otherwise utilize CONSULTANT PRODUCTS to the extent reasonably necessary to use the CONSULTANT PRODUCTS in the manner contemplated by this agreement.

CONSULTANT further warrants and represents that it knows of no allegations, claims, or threatened claims that the CONSULTANT PRODUCTS provided to COUNTY under this Agreement infringe any patent, copyright, trademark or other proprietary right. In the event that any third party asserts a claim of infringement against the COUNTY relating to a CONSULTANT PRODUCT, CONSULTANT shall indemnify and defend the COUNTY pursuant to Paragraph 2 of this AGREEMENT.

In the case of any such claim of infringement, CONSULTANT shall either, at its option, (1) procure for COUNTY the right to continue using the CONSULTANT Products; or (2) replace or modify the CONSULTANT Products so that that they become non-infringing, but equivalent in functionality and performance.

33. ELECTRONIC COPIES:

The parties agree that an electronic copy, including facsimile copy, email, or scanned copy of the executed Agreement, shall be deemed, and shall have the same legal force and effect as, an original document.

34. COOPERATION WITH COUNTY

Consultant shall cooperate with County and County staff in the performance of all work hereunder.

35. PERFORMANCE STANDARD

Consultant shall perform all work hereunder in a manner consistent with the level of competency and standard of care normally observed by a person practicing in

Consultant's profession. County has relied upon the professional ability and training of Consultant as a material inducement to enter into this Agreement. Consultant hereby agrees to provide all services under this Agreement in accordance with generally accepted professional practices and standards of care, as well as the requirements of applicable Federal, State, and local laws, it being understood that acceptance of Consultant's work by County shall not operate as a waiver or release. If County determines that any of Consultant's work is not in accordance with such level of competency and standard of care, County, in its sole discretion, shall have the right to do any or all of the following: (a) require Consultant to meet with County to review the quality of the work and resolve matters of concern; (b) require Consultant to repeat the work at no additional charge until it is satisfactory; (c) terminate this Agreement pursuant to the provisions of paragraph 19 (Termination) or (d) pursue any and all other remedies at law or in equity.

36. ATTORNEYS' FEES

In any action to enforce or interpret the terms of this agreement, including but not limited to any action for declaratory relief, each party shall be solely responsible for and bear its own attorneys' fees, regardless of which party prevails.

[END OF GENERAL TERMS AND CONDITIONS]

EXHIBIT A

DEFINITION OF SERVICES

CONSULTANT shall provide the following services: Professional Laboratory Water Testing Services for the Monitoring Program and Industrial General Permit Compliance for COUNTY's closed landfills as requested by COUNTY. Billing shall be fee for service based on the Analytical Services Quotation included as Exhibit E, with a not-to-exceed total amount of \$400,000.

[END OF DEFINITION OF SERVICES]

EXHIBIT B

PAYMENT TERMS

1. COUNTY shall pay CONSULTANT for all work performed in the satisfactory completion of this Agreement in accordance with rates set forth in the Analytical Services Quotation included as Exhibit E.
2. All services are to be invoiced by CONSULTANT to COUNTY upon satisfactory completion of work.
3. The compensation payable to CONSULTANT hereunder is fee for service and shall not exceed the authorized contract amount of \$400,000 for the term of this Agreement.

[END OF PAYMENT TERMS]

EXHIBIT C

INSURANCE REQUIREMENTS

Insurance coverage in a minimum amount set forth herein shall not be construed to relieve CONSULTANT for liability in excess of such coverage, nor shall it preclude COUNTY from taking such other action as is available to it under any other provisions of this Agreement or otherwise in law. Insurance requirements shall be in addition to, and not in lieu of, Consultant's indemnity obligations under Paragraph 2 of this Agreement.

CONSULTANT shall obtain and maintain insurance coverage as follows:

- a. Combined single limit bodily injury liability and property damage liability - \$1,000,000 each occurrence.
- b. Vehicle / Bodily Injury combined single limit vehicle bodily injury and property damage liability - \$500,000 each occurrence.

CONSULTANT shall furnish to COUNTY certificates of insurance evidencing the minimum levels described above.

[END OF INSURANCE REQUIREMENTS]

EXHIBIT D

MENDOCINO COUNTY EPAYABLES INFORMATION

The County of Mendocino is currently making credit card payments to all of our vendors and suppliers who qualify. To qualify, vendors need to currently accept credit card payments. To achieve this more efficient form of payment, the County has partnered with Bank of America and their ePayables credit card program. This electronic initiative will yield many benefits to its participants:

- Expedited receipt of cash – electronic credit card payments provide cash flow benefits by eliminating mail and paper check float
- Elimination of check processing costs
- Remittance data transmitted with payment for more efficient back-end reconciliation
- No collection costs associated with lost or misplaced checks
- Reduced exposure to check fraud
- More efficient handling of exception items
- Fits with existing accounting software – requires no purchase of software, no modifications to existing accounts receivable system and no change to bank accounts.
- Going green with paperless electronic credit card payments help conserve the environment by eliminating printing and mailing of paper checks.

For information regarding the payment process, please email Auditorap@mendocinocounty.org.

Additional information regarding the Bank of America Program is also available at:

http://corp.bankofamerica.com/business/ci/landing/epayables-vendors?cm_mmc=sb-general_-vanity_-sg01vn000r_epayablesvendors_-na



EXHIBIT E

Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Water					
27 Metals Dissolved	varies	1	10	\$195.00	\$195.00
27 Metals in Water	varies	1	10	\$195.00	\$195.00
524.2 + Oxys	EPA 524.2	1	10	\$225.00	\$225.00
524.2 DDW Regulated VOC	EPA 524.2	1	10	\$225.00	\$225.00
8081/8082 Pest/PCB	EPA 8081A/8082	1	10	\$175.00	\$175.00
8141A OPP	EPA 8141A	1	10	\$175.00	\$175.00
8151 Herbicides Water	EPA 8151A	1	10	\$175.00	\$175.00
8260B Full List	EPA 8260B	1	10	\$165.00	\$165.00
8270 Appendix II	EPA 8270C	1	10	\$350.00	\$350.00
8270 Regular List	EPA 8270C	1	10	\$275.00	\$275.00
Ag SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Al Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Al Diss ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Al SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Al Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Al Total ICP 6010A	EPA 6010B	1	10	\$25.00	\$25.00
Al Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Alkalinity 2320B	SM2320B	1	10	\$25.00	\$25.00
Ammonia as N	SM4500-NH3 C	1	10	\$60.00	\$60.00
Anions, Total	SM1030E	1	10	\$25.00	\$25.00
As Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
As Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
As SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
As Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
B Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
B Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Ba Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Ba Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
BaTotal ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Bicarbonate Alkalinity 2320B	SM2320B	1	10	\$25.00	\$25.00
BOD-SM5210B	SM5210B	1	10	\$50.00	\$50.00
Ca Diss 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Ca Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
Ca Total 200.7	EPA 200.7	1	10	\$25.00	\$25.00
CAM 17 Metals by EPA 6010B/245.1	varies	1	10	\$195.00	\$195.00
CAM 17 Metals by EPA 6020B	varies	1	10	\$195.00	\$195.00
Carbonate Alkalinity 2320B	SM2320B	1	10	\$25.00	\$25.00
Cations, Total	SM1030E	1	10	\$20.00	\$20.00
Cd SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Chloride 300.0	EPA 300.0	1	10	\$25.00	\$25.00
CN Low Level 5ppb	10-204-00-1-X	1	10	\$85.00	\$85.00
COD-SM5220D	SM5220D	1	10	\$35.00	\$35.00
Conductivity-120.1	SM2510B	1	10	\$20.00	\$20.00
Cr Diss 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Cr Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
Cr Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Cu Diss 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Cu SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Cu Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Cu Total ICP 6010A	EPA 6010B	1	10	\$25.00	\$25.00
Cu Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Cyanide, Total	10-204-00-1-X	1	10	\$85.00	\$85.00
Digest-Metals	-	1	10	\$10.00	\$10.00
Fe Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Fe Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
Fe Diss ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Fe Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Fe Total ICP 6010A	EPA 6010B	1	10	\$25.00	\$25.00
Filtration	-	1	10	\$20.00	\$20.00
Fluoride 300.0	EPA 300.0	1	10	\$30.00	\$30.00
GeoTracker EDT (\$50 per work order)	-	1	10	\$50.00	\$50.00
Handling & Disposal (per sample source)	-	1	10	\$5.00	\$5.00
Hardness, Total	varies	1	10	\$65.00	\$65.00
Hg LL CVAA Total 245.1	EPA 245.1	1	10	\$65.00	\$65.00
Inorganics (dissolved) - Landfill COC	varies	1	10	\$500.00	\$500.00
J flag Report Charge	-	1	10	\$10.00	\$10.00
K Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
K Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mg Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mg Diss ICP 6010	EPA 6010B	1	10	\$25.00	\$25.00
Mg Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mn Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mn Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mn Total ICP 6010A	EPA 6010B	1	10	\$25.00	\$25.00

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Mo Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Mo Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Na Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Na Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Ni SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Nitrate as N 300.0	EPA 300.0	1	10	\$40.00	\$40.00
Nitrite as N 300.0	EPA 300.0	1	10	\$40.00	\$40.00
NO2+NO3 as N SM4500-NO3 E	SM4500-NO3 E	1	10	\$80.00	\$80.00
O&G (HEM)	EPA 1664A	1	10	\$95.00	\$95.00
O&G (HEM)	EPA 1664A	1	10	\$95.00	\$95.00
Orthophosphate 300.0	EPA 300.0	1	10	\$40.00	\$40.00
Pb Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Pb Diss ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Pb SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Pb Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Pb Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Perchlorate & Conductivity	varies	1	10	\$125.00	\$125.00
pH by SM4500-H+ B	SM4500-H+ B	1	10	\$40.00	\$40.00
pH Field	SM4500-H+ B	1	10	\$10.00	\$10.00
pH SW Field Strip	pH Strip	1	10	\$10.00	\$10.00
pH water 150.1	SM4500-H+ B	1	10	\$20.00	\$20.00
Phosphorus-SM4500	SM4500-P E	1	10	\$60.00	\$60.00
Se SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Solids, TDS-SM2540C	SM2540C	1	10	\$40.00	\$40.00
Solids, TSS-SM2540D	SM2540D	1	10	\$40.00	\$40.00

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
 Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
 North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
 Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Solids, TSS-SM2540D	SM2540D	1	10	\$50.00	\$50.00
Standard Mineral	varies	1	10	\$155.00	\$155.00
Sulfate 300.0	EPA 300.0	1	10	\$40.00	\$40.00
Sulfide	SM4500-S D	1	10	\$65.00	\$65.00
Ti Total ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Tl Diss ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
TPH D	EPA 8015B	1	10	\$95.00	\$95.00
TPH D with SG Cleanup	EPA 8015B	1	10	\$95.00	\$95.00
TPH D/MO	EPA 8015B	1	10	\$95.00	\$95.00
TPH D/MO with SG Column	EPA 8015B	1	10	\$95.00	\$95.00
TPH G	EPA 8015B	1	10	\$95.00	\$95.00
Turbidity-180.1	SM2130B	1	10	\$15.00	\$15.00
Zn Diss ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Zn SW ICP/MS 200.8	EPA 200.8	1	10	\$25.00	\$25.00
Zn Total ICP 200.7	EPA 200.7	1	10	\$25.00	\$25.00
Zn Total ICP 6010A	EPA 6010B	1	10	\$25.00	\$25.00
				Bid Total:	\$6,765.00

Robbie Phillips
Project Manager

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

27 Metals Dissolved consists of:

Ag Diss ICP 6010	Al Diss ICP 6010	As Diss ICP 6010
B Diss ICP 6010	Ba Diss ICP 6010	Be Diss ICP 6010
Ca Diss ICP 6010	Cd Diss ICP 6010	Co Diss ICP 6010
Cr Diss ICP 6010	Cu Diss ICP 6010	Fe Diss ICP 6010
Hg Diss CVAA 7470	K Diss ICP 6010	Mg Diss ICP 6010
Mn Diss ICP 6010	Mo Diss ICP 6010	Na Diss ICP 6010
Ni Diss ICP 6010	Pb Diss ICP 6010	Sb Diss ICP 6010
Se Diss ICP 6010	Sn Diss ICP 6010	Ti Diss ICP 6010
Tl Diss ICP 6010	V Diss ICP 6010	Zn Diss ICP 6010

27 Metals in Water consists of:

Ag Total ICP 6010	Al Total ICP 6010A	As Total ICP 6010
B Total ICP 6010	Ba Total ICP 6010	Be Total ICP 6010
Ca Total ICP 6010	Cd Total ICP 6010	Co Total ICP 6010
Cr Total ICP 6010	Cu Total ICP 6010A	Fe Total ICP 6010A
Hg Total CVAA 7470	K Total ICP 6010	Mg Total ICP 6010
Mn Total ICP 6010A	Mo Total ICP 6010	Na Total ICP 6010
Ni Total ICP 6010	Pb Total ICP 6010	Sb Total ICP 6010
Se Total ICP 6010	Sn Total ICP 6010	Ti Total ICP 6010
Tl Total ICP 6010	V Total ICP 6010	Zn Total ICP 6010A

Hardness, Total consists of:

Ca Total 200.7	Hardness Calc	Mg Total ICP 200.7
----------------	---------------	--------------------

Inorganics (dissolved) - Landfill COC consists of:

Aluminum Diss EPA 6020B	Antimony Diss EPA 6020B	As Diss EPA 6020B
Barium Diss EPA 6020B	Beryllium Diss EPA 6020B	Ca Diss ICP 6010

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Cadmium Diss EPA 6020B	Chromium Diss EPA 6020B	Cobalt Diss EPA 6020B
Copper Diss EPA 6020B	Cyanide, Dissolved	Dissolved Sulfate 300.0
Iron Diss EPA 6020B	K Diss ICP 6010	Lead Diss EPA 6020B
Manganese Diss EPA 6020B	Mercury Diss EPA 6020B	Mg Diss ICP 6010
Na Diss ICP 6010	Nickel Diss EPA 6020B	Selenium Diss EPA 6020B
Silver Diss EPA 6020B	Sulfide Dissolved	Thallium Diss EPA 6020B
Tin Diss EPA 6020B	Vanadium Diss EPA 6020B	Zinc Diss EPA 6020B

Standard Mineral consists of:

Alkalinity 2320B	Ca Diss 200.7	Chloride 300.0
COD-SM5220D	Fluoride 300.0	Hardness Calc
K Diss ICP 200.7	Mg Diss ICP 200.7	Na Diss ICP 200.7
Nitrate as N 300.0	Pb Diss ICP 200.7	Solids, TDS-SM2540C
Sulfate 300.0		

CAM 17 Metals by EPA 6010B/245.1 consists of:

Ag Total ICP 6010	As Total ICP 6010	Ba Total ICP 6010
Be Total ICP 6010	Cd Total ICP 6010	Co Total ICP 6010
Cr Total ICP 6010	Cu Total ICP 6010	Hg Total CVAA 245.1
Mo Total ICP 6010	Ni Total ICP 6010	Pb Total ICP 6010
Sb Total ICP 6010	Se Total ICP 6010	Tl Total ICP 6010
V Total ICP 6010	Zn Total ICP 6010	

CAM 17 Metals by EPA 6020B consists of:

Ag Total 6020B	As Total 6020B	Ba Total 6020B
Be Total 6020B	Cd Total 6020B	Co Total 6020B
Cr Total 6020B	Cu Total 6020B	Hg Total 6020B
Mo Total 6020B	Ni Total 6020B	Pb Total 6020B

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Sb Total 6020B

Se Total 6020B

Tl Total 6020B

V Total 6020B

Zn Total 6020B

Perchlorate & Conductivity consists of:

Conductivity-120.1

Perchlorate

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

27 Metals Dissolved by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$195.00	\$204.75	\$214.50	\$224.25	\$234.00	\$243.75	\$273.00
3 days	2 days	1 day	Same Day			
\$292.50	\$341.25	\$390.00	\$585.00			

27 Metals in Water by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$195.00	\$204.75	\$214.50	\$224.25	\$234.00	\$243.75	\$273.00
3 days	2 days	1 day	Same Day			
\$292.50	\$341.25	\$390.00	\$585.00			

524.2 + Oxys by EPA 524.2

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$225.00	\$236.25	\$247.50	\$258.75	\$270.00	\$281.25	\$315.00
3 days	2 days	1 day	Same Day			
\$337.50	\$393.75	\$450.00	\$675.00			

524.2 DDW Regulated VOC by EPA 524.2

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$225.00	\$236.25	\$247.50	\$258.75	\$270.00	\$281.25	\$315.00
3 days	2 days	1 day	Same Day			
\$337.50	\$393.75	\$450.00	\$675.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

8141A OPP by EPA 8141A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

8151 Herbicides Water by EPA 8151A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

Ag SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

AI Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

AI Diss ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

AI SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

AI Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

AI Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

AI Total ICP 6010A by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Alkalinity 2320B by SM2320B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Ammonia as N by SM4500-NH3 C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$60.00	\$63.00	\$66.00	\$69.00	\$72.00	\$75.00	\$84.00
3 days	2 days	1 day	Same Day			
\$90.00	\$105.00	\$120.00	\$180.00			

Anions, Total by SM1030E

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

As Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

As Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

As SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

As Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

B Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

B Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Ba Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Ba Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

BaTotal ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Bicarbonate Alkalinity 2320B by SM2320B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

BOD-SM5210B by SM5210B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$50.00	\$52.50	\$55.00	\$57.50	\$60.00	\$62.50	\$70.00
3 days	2 days	1 day	Same Day			
\$75.00	\$87.50	\$100.00	\$150.00			

Ca Diss 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Ca Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Ca Total 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Carbonate Alkalinity 2320B by SM2320B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cations, Total by SM1030E

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Cd SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Chloride 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

COD-SM5220D by SM5220D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$35.00	\$36.75	\$38.50	\$40.25	\$42.00	\$43.75	\$49.00
3 days	2 days	1 day	Same Day			
\$52.50	\$61.25	\$70.00	\$105.00			

Conductivity-120.1 by SM2510B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Cr Diss 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cr Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cr Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cu Diss 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Cu SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cu Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cu Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Cu Total ICP 6010A by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

pH by SM4500-H+ B by SM4500-H+ B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Solids, TSS-SM2540D by SM2540D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$50.00	\$52.50	\$55.00	\$57.50	\$60.00	\$62.50	\$70.00
3 days	2 days	1 day	Same Day			
\$75.00	\$87.50	\$100.00	\$150.00			

CN Low Level 5ppb by 10-204-00-1-X

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$85.00	\$89.25	\$93.50	\$97.75	\$102.00	\$106.25	\$119.00
3 days	2 days	1 day	Same Day			
\$127.50	\$148.75	\$170.00	\$255.00			

Cyanide, Total by 10-204-00-1-X

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$85.00	\$89.25	\$93.50	\$97.75	\$102.00	\$106.25	\$119.00
3 days	2 days	1 day	Same Day			
\$127.50	\$148.75	\$170.00	\$255.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Digest-Metals by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.50	\$11.00	\$11.50	\$12.00	\$12.50	\$14.00
3 days	2 days	1 day	Same Day			
\$15.00	\$17.50	\$20.00	\$30.00			

Fe Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Fe Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Fe Diss ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Fe Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Fe Total ICP 6010A by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Filtration by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00	\$20.00
3 days	2 days	1 day	Same Day			
\$20.00	\$20.00	\$20.00	\$20.00			

Fluoride 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

GeoTracker EDT (\$50 per work order) by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$50.00	\$50.00	\$50.00	\$50.00	\$50.00	\$50.00	\$50.00
3 days	2 days	1 day	Same Day			
\$50.00	\$50.00	\$50.00	\$50.00			

Handling & Disposal (per sample source) by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00
3 days	2 days	1 day	Same Day			
\$5.00	\$5.00	\$5.00	\$5.00			

Hardness, Total by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$65.00	\$68.25	\$71.50	\$74.75	\$78.00	\$81.25	\$91.00
3 days	2 days	1 day	Same Day			
\$97.50	\$113.75	\$130.00	\$195.00			

Hg LL CVAA Total 245.1 by EPA 245.1

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$65.00	\$68.25	\$71.50	\$74.75	\$78.00	\$81.25	\$91.00
3 days	2 days	1 day	Same Day			
\$97.50	\$113.75	\$130.00	\$195.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Inorganics (dissolved) - Landfill COC by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$500.00	\$525.00	\$550.00	\$575.00	\$600.00	\$625.00	\$700.00
3 days	2 days	1 day	Same Day			
\$750.00	\$875.00	\$1,000.00	\$1,500.00			

J flag Report Charge by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00	\$10.00
3 days	2 days	1 day	Same Day			
\$10.00	\$10.00	\$10.00	\$10.00			

K Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

K Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Standard Mineral by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$155.00	\$162.75	\$170.50	\$178.25	\$186.00	\$193.75	\$217.00
3 days	2 days	1 day	Same Day			
\$232.50	\$271.25	\$310.00	\$465.00			

Mg Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Mg Diss ICP 6010 by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Mg Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Mn Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Mn Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Mn Total ICP 6010A by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Mo Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Mo Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Na Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Na Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

8081/8082 Pest/PCB by EPA 8081A/8082

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

8260B Full List by EPA 8260B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$165.00	\$173.25	\$181.50	\$189.75	\$198.00	\$206.25	\$231.00
3 days	2 days	1 day	Same Day			
\$247.50	\$288.75	\$330.00	\$495.00			

8270 Appendix II by EPA 8270C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$350.00	\$367.50	\$385.00	\$402.50	\$420.00	\$437.50	\$490.00
3 days	2 days	1 day	Same Day			
\$525.00	\$612.50	\$700.00	\$1,050.00			

8270 Regular List by EPA 8270C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$275.00	\$288.75	\$302.50	\$316.25	\$330.00	\$343.75	\$385.00
3 days	2 days	1 day	Same Day			
\$412.50	\$481.25	\$550.00	\$825.00			

CAM 17 Metals by EPA 6010B/245.1 by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$195.00	\$204.75	\$214.50	\$224.25	\$234.00	\$243.75	\$273.00
3 days	2 days	1 day	Same Day			
\$292.50	\$341.25	\$390.00	\$585.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

CAM 17 Metals by EPA 6020B by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$195.00	\$204.75	\$214.50	\$224.25	\$234.00	\$243.75	\$273.00
3 days	2 days	1 day	Same Day			
\$292.50	\$341.25	\$390.00	\$585.00			

O&G (HEM) by EPA 1664A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

TPH D by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

TPH D with SG Cleanup by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

TPH D/MO by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

TPH D/MO with SG Column by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

TPH G by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

Ni SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Nitrate as N 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Nitrite as N 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

NO₂+NO₃ as N SM4500-NO₃ E by SM4500-NO₃ E

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$80.00	\$84.00	\$88.00	\$92.00	\$96.00	\$100.00	\$112.00
3 days	2 days	1 day	Same Day			
\$120.00	\$140.00	\$160.00	\$240.00			

O&G (HEM) by EPA 1664A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$95.00	\$99.75	\$104.50	\$109.25	\$114.00	\$118.75	\$133.00
3 days	2 days	1 day	Same Day			
\$142.50	\$166.25	\$190.00	\$285.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Orthophosphate 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Pb Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Pb Diss ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Pb SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Pb Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Pb Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Perchlorate & Conductivity by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$125.00	\$131.25	\$137.50	\$143.75	\$150.00	\$156.25	\$175.00
3 days	2 days	1 day	Same Day			
\$187.50	\$218.75	\$250.00	\$375.00			

pH Field by SM4500-H+ B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.50	\$11.00	\$11.50	\$12.00	\$12.50	\$14.00
3 days	2 days	1 day	Same Day			
\$15.00	\$17.50	\$20.00	\$30.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

pH SW Field Strip by pH Strip

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.50	\$11.00	\$11.50	\$12.00	\$12.50	\$14.00
3 days	2 days	1 day	Same Day			
\$15.00	\$17.50	\$20.00	\$30.00			

pH water 150.1 by SM4500-H+ B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Phosphorus-SM4500 by SM4500-P E

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$60.00	\$63.00	\$66.00	\$69.00	\$72.00	\$75.00	\$84.00
3 days	2 days	1 day	Same Day			
\$90.00	\$105.00	\$120.00	\$180.00			

Se SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Solids, TDS-SM2540C by SM2540C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Solids, TSS-SM2540D by SM2540D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Sulfate 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$40.00	\$42.00	\$44.00	\$46.00	\$48.00	\$50.00	\$56.00
3 days	2 days	1 day	Same Day			
\$60.00	\$70.00	\$80.00	\$120.00			

Sulfide by SM4500-S D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$65.00	\$68.25	\$71.50	\$74.75	\$78.00	\$81.25	\$91.00
3 days	2 days	1 day	Same Day			
\$97.50	\$113.75	\$130.00	\$195.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Ti Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Ti Diss ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Turbidity-180.1 by SM2130B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$15.00	\$15.75	\$16.50	\$17.25	\$18.00	\$18.75	\$21.00
3 days	2 days	1 day	Same Day			
\$22.50	\$26.25	\$30.00	\$45.00			

Zn Diss ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Turnaround Pricing

Zn SW ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Zn Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Zn Total ICP 6010A by EPA 6010B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$25.00	\$26.25	\$27.50	\$28.75	\$30.00	\$31.25	\$35.00
3 days	2 days	1 day	Same Day			
\$37.50	\$43.75	\$50.00	\$75.00			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Analysis Details								
Analyte	MDL	Reporting Limit	Surrogate %R	Dup RPD	Matrix Spike %R RPD		Blank Spike %R RPD	
Field Analyses								
pH Field in Water (SM4500-H+ B)								
pH	1.680	1.680 pH Units		20				
pH SW Field Strip in Water (pH Strip)								
pH	2.000	2.000 pH Units		20				
Metals by EPA 200 Series Methods								
Al Total ICP 200.7 in Water (EPA 200.7)								
Aluminum	0.020	0.050 mg/L		20	70 - 130	20	85 - 115	20
B Total ICP 200.7 in Water (EPA 200.7)								
Boron	0.060	0.20 mg/L		20	70 - 130	20	85 - 115	20
Ca Total 200.7 in Water (EPA 200.7)								
Calcium	0.080	1.0 mg/L		20	70 - 130	20	85 - 115	20
Calcium	0.080	1.0 mg/L		20	70 - 130	20	85 - 115	20
Cu Total ICP 200.7 in Water (EPA 200.7)								
Copper	0.0050	0.020 mg/L		20	70 - 130	20	85 - 115	20
Fe Total ICP 200.7 in Water (EPA 200.7)								
Iron	0.020	0.10 mg/L		20	70 - 130	20	85 - 115	20
Hg LL CVAA Total 245.1 in Water (EPA 245.1)								
Mercury	0.060	0.20 ug/L		20	70 - 130	20	85 - 115	20
Hg Total CVAA 245.1 in Water (EPA 245.1)								

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Mercury	0.000060	0.0010 mg/L	20	70 - 130	20	85 - 115	20
K Total ICP 200.7 in Water (EPA 200.7)							
Potassium	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mg Total ICP 200.7 in Water (EPA 200.7)							
Magnesium	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Magnesium	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mn Total ICP 200.7 in Water (EPA 200.7)							
Manganese	0.0020	0.020 mg/L	20	70 - 130	20	85 - 115	20
Na Total ICP 200.7 in Water (EPA 200.7)							
Sodium	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20
Pb Total ICP 200.7 in Water (EPA 200.7)							
Lead	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20
Zn Total ICP 200.7 in Water (EPA 200.7)							
Zinc	0.0080	0.020 mg/L	20	70 - 130	20	85 - 115	20
Metals by EPA Method 200.8 ICP/MS							
Ag SW ICP/MS 200.8 in Water (EPA 200.8)							
Silver	0.00020	0.010 mg/L	20	70 - 130	20	85 - 115	20
Al SW ICP/MS 200.8 in Water (EPA 200.8)							
Aluminum	0.0050	0.050 mg/L	20	70 - 130	20	85 - 115	20
Al Total ICP/MS 200.8 in Water (EPA 200.8)							
Aluminum	5.0	10 ug/L	20	70 - 130	20	85 - 115	20
As SW ICP/MS 200.8 in Water (EPA 200.8)							
Arsenic	0.00040	0.0020 mg/L	20	70 - 130	20	85 - 115	20
As Total ICP/MS 200.8 in Water (EPA 200.8)							

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
 Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
 North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
 Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Arsenic	0.40	0.50 ug/L	20	70 - 130	20	85 - 115	20
BaTotal ICP/MS 200.8 in Water (EPA 200.8)							
Barium	0.20	0.50 ug/L	20	70 - 130	20	85 - 115	20
Cd SW ICP/MS 200.8 in Water (EPA 200.8)							
Cadmium	0.000060	0.0010 mg/L	20	70 - 130	20	85 - 115	20
Cr Total ICP/MS 200.8 in Water (EPA 200.8)							
Chromium	0.50	0.50 ug/L	20	70 - 130	20	85 - 115	20
Cu SW ICP/MS 200.8 in Water (EPA 200.8)							
Copper	0.000400	0.00600 mg/L	20	70 - 130	20	85 - 115	20
Cu Total ICP/MS 200.8 in Water (EPA 200.8)							
Copper	0.40	0.50 ug/L	20	70 - 130	20	85 - 115	20
Mo Total ICP/MS 200.8 in Water (EPA 200.8)							
Molybdenum	0.070	0.25 ug/L	20	70 - 130	20	85 - 115	20
Ni SW ICP/MS 200.8 in Water (EPA 200.8)							
Nickel	0.00030	0.010 mg/L	20	70 - 130	20	85 - 115	20
Pb SW ICP/MS 200.8 in Water (EPA 200.8)							
Lead	0.000060	0.0050 mg/L	20	70 - 130	20	85 - 115	20
Pb Total ICP/MS 200.8 in Water (EPA 200.8)							
Lead	0.060	0.25 ug/L	20	70 - 130	20	85 - 115	20
Se SW ICP/MS 200.8 in Water (EPA 200.8)							
Selenium	0.00030	0.0050 mg/L	20	70 - 130	20	85 - 115	20
Ti Total ICP/MS 200.8 in Water (EPA 200.8)							
Titanium	0.40	50 ug/L	20	70 - 130	20	85 - 115	20
Zn SW ICP/MS 200.8 in Water (EPA 200.8)							
Zinc	0.0020	0.050 mg/L	20	70 - 130	20	85 - 115	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Metals (Dissolved) by EPA 200 Series Methods

Al Diss ICP 200.7 in Water (EPA 200.7)

Aluminum, dissolved	0.050	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

As Diss ICP 200.7 in Water (EPA 200.7)

Arsenic, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
--------------------	--------	------------	----	----------	----	----------	----

B Diss ICP 200.7 in Water (EPA 200.7)

Boron, dissolved	0.060	0.20 mg/L	20	70 - 130	20	85 - 115	20
------------------	-------	-----------	----	----------	----	----------	----

Ba Diss ICP 200.7 in Water (EPA 200.7)

Barium, dissolved	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
-------------------	--------	------------	----	----------	----	----------	----

Ca Diss 200.7 in Water (EPA 200.7)

Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
--------------------	-------	----------	----	----------	----	----------	----

Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
--------------------	-------	----------	----	----------	----	----------	----

Cr Diss 200.7 in Water (EPA 200.7)

Chromium, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
---------------------	--------	------------	----	----------	----	----------	----

Cu Diss 200.7 in Water (EPA 200.7)

Copper, dissolved	0.0050	0.020 mg/L	20	70 - 130	20	85 - 115	20
-------------------	--------	------------	----	----------	----	----------	----

Fe Diss ICP 200.7 in Water (EPA 200.7)

Iron, dissolved	0.050	0.10 mg/L	20	70 - 130	20	85 - 115	20
-----------------	-------	-----------	----	----------	----	----------	----

K Diss ICP 200.7 in Water (EPA 200.7)

Potassium, dissolved	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
----------------------	------	----------	----	----------	----	----------	----

Potassium, dissolved	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
----------------------	------	----------	----	----------	----	----------	----

Mg Diss ICP 200.7 in Water (EPA 200.7)

Magnesium, dissolved	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
----------------------	-------	----------	----	----------	----	----------	----

Magnesium, dissolved	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
----------------------	-------	----------	----	----------	----	----------	----

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Mn Diss ICP 200.7 in Water (EPA 200.7)								
Manganese, dissolved	0.0020	0.020 mg/L	20	70 - 130	20	85 - 115	20	
Mo Diss ICP 200.7 in Water (EPA 200.7)								
Molybdenum, dissolved	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20	
Na Diss ICP 200.7 in Water (EPA 200.7)								
Sodium, dissolved	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20	
Sodium, dissolved	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20	
Tin Diss EPA 6020B in Water (EPA 200.7)								
Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20	
Pb Diss ICP 200.7 in Water (EPA 200.7)								
Lead, dissolved	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20	
Lead, dissolved	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20	
Tl Diss ICP 200.7 in Water (EPA 200.7)								
Thallium, dissolved	0.0030	0.20 mg/L	20	70 - 130	20	85 - 115	20	
Metals (Dissolved) by EPA Method 200.8 ICP/MS								
Al Diss ICP/MS 200.8 in Water (EPA 200.8)								
Aluminum, dissolved	5.0	10 ug/L	20	70 - 130	20	85 - 115	20	
Fe Diss ICP/MS 200.8 in Water (EPA 200.8)								
Iron, dissolved	10	50 ug/L	20	70 - 130	20	85 - 115	20	
Pb Diss ICP/MS 200.8 in Water (EPA 200.8)								
Lead, dissolved	0.060	0.25 ug/L	20	70 - 130	20	85 - 115	20	
Zn Diss ICP/MS 200.8 in Water (EPA 200.8)								
Zinc, dissolved	2.0	5.0 ug/L	20	70 - 130	20	85 - 115	20	

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Metals by EPA 6000/7000 Series Methods

Ag Total ICP 6010 in Water (EPA 6010B)

Silver	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	------------	----	----------	----	----------	----

Al Total ICP 6010A in Water (EPA 6010B)

Aluminum	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Aluminum	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20

As Total ICP 6010 in Water (EPA 6010B)

Arsenic	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
---------	--------	------------	----	----------	----	----------	----

B Total ICP 6010 in Water (EPA 6010B)

Boron	0.060	0.20 mg/L	20	70 - 130	20	85 - 115	20
-------	-------	-----------	----	----------	----	----------	----

Ba Total ICP 6010 in Water (EPA 6010B)

Barium	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	------------	----	----------	----	----------	----

Be Total ICP 6010 in Water (EPA 6010B)

Beryllium	0.00020	0.0010 mg/L	20	70 - 130	20	85 - 115	20
-----------	---------	-------------	----	----------	----	----------	----

Ca Total ICP 6010 in Water (EPA 6010B)

Calcium	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
---------	-------	----------	----	----------	----	----------	----

Cd Total ICP 6010 in Water (EPA 6010B)

Cadmium	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
---------	--------	------------	----	----------	----	----------	----

Co Total ICP 6010 in Water (EPA 6010B)

Cobalt	0.0020	0.020 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	------------	----	----------	----	----------	----

Cr Total ICP 6010 in Water (EPA 6010B)

Chromium	0.0040	0.050 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Cu Total ICP 6010A in Water (EPA 6010B)

Copper	0.0050	0.10 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	-----------	----	----------	----	----------	----

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Copper	0.0050	0.10 mg/L	20	70 - 130	20	85 - 115	20
Fe Total ICP 6010A in Water (EPA 6010B)							
Iron	0.020	0.10 mg/L	20	70 - 130	20	85 - 115	20
Iron	0.020	0.10 mg/L	20	70 - 130	20	85 - 115	20
Hg Total CVAA 7470 in Water (EPA 7470A)							
Mercury	0.000060	0.0010 mg/L	20	60 - 140	20	80 - 120	20
K Total ICP 6010 in Water (EPA 6010B)							
Potassium	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mg Total ICP 6010 in Water (EPA 6010B)							
Magnesium	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mn Total ICP 6010A in Water (EPA 6010B)							
Manganese	0.0020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Manganese	0.0020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Mo Total ICP 6010 in Water (EPA 6010B)							
Molybdenum	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
Na Total ICP 6010 in Water (EPA 6010B)							
Sodium	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20
Ag Total 6020B in Water (EPA 6020B)							
Silver	0.040	0.10 mg/L	20	70 - 130	20	85 - 115	20
Ag Total ICP 6010 in Water (EPA 6010B)							
Silver	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
As Total 6020B in Water (EPA 6020B)							
Arsenic	0.040	0.20 mg/L	20	75 - 125	20	80 - 120	20
As Total ICP 6010 in Water (EPA 6010B)							
Arsenic	0.0040	0.020 mg/L	20	75 - 125	20	80 - 120	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Ba Total 6020B in Water (EPA 6020B)

Barium	0.20	0.50 mg/L	20	75 - 125	20	80 - 120	20
--------	------	-----------	----	----------	----	----------	----

Ba Total ICP 6010 in Water (EPA 6010B)

Barium	0.0020	0.050 mg/L	20	75 - 125	20	80 - 120	20
--------	--------	------------	----	----------	----	----------	----

Be Total 6020B in Water (EPA 6020B)

Beryllium	0.050	0.10 mg/L	20	75 - 125	20	80 - 120	20
-----------	-------	-----------	----	----------	----	----------	----

Be Total ICP 6010 in Water (EPA 6010B)

Beryllium	0.0050	0.010 mg/L	20	75 - 125	20	80 - 120	20
-----------	--------	------------	----	----------	----	----------	----

Cd Total 6020B in Water (EPA 6020B)

Cadmium	0.010	0.10 mg/L	20	75 - 125	20	80 - 120	20
---------	-------	-----------	----	----------	----	----------	----

Cd Total ICP 6010 in Water (EPA 6010B)

Cadmium	0.0010	0.010 mg/L	20	75 - 125	20	80 - 120	20
---------	--------	------------	----	----------	----	----------	----

Co Total 6020B in Water (EPA 6020B)

Cobalt	0.20	0.50 mg/L	20	75 - 125	20	80 - 120	20
--------	------	-----------	----	----------	----	----------	----

Co Total ICP 6010 in Water (EPA 6010B)

Cobalt	0.0020	0.010 mg/L	20	75 - 125	20	80 - 120	20
--------	--------	------------	----	----------	----	----------	----

Cr Total 6020B in Water (EPA 6020B)

Chromium	0.040	0.10 mg/L	20	75 - 125	20	80 - 120	20
----------	-------	-----------	----	----------	----	----------	----

Cr Total ICP 6010 in Water (EPA 6010B)

Chromium	0.0040	0.010 mg/L	20	75 - 125	20	80 - 120	20
----------	--------	------------	----	----------	----	----------	----

Cu Total 6020B in Water (EPA 6020B)

Copper	0.10	0.20 mg/L	20	75 - 125	20	80 - 120	20
--------	------	-----------	----	----------	----	----------	----

Cu Total ICP 6010 in Water (EPA 6010B)

Copper	0.020	0.050 mg/L	20	75 - 125	20	80 - 120	20
--------	-------	------------	----	----------	----	----------	----

Hg Total 6020B in Water (EPA 6020B)

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Mercury	0.0020	0.0050 mg/L	20	75 - 125	20	80 - 120	20
Mo Total 6020B in Water (EPA 6020B)							
Molybdenum	0.030	0.20 mg/L	20	75 - 125	20	80 - 120	20
Mo Total ICP 6010 in Water (EPA 6010B)							
Molybdenum	0.020	0.060 mg/L	20	75 - 125	20	80 - 120	20
Ni Total 6020B in Water (EPA 6020B)							
Nickel	0.030	0.10 mg/L	20	75 - 125	20	80 - 120	20
Ni Total ICP 6010 in Water (EPA 6010B)							
Nickel	0.0030	0.010 mg/L	20	75 - 125	20	80 - 120	20
Pb Total 6020B in Water (EPA 6020B)							
Lead	0.10	0.20 mg/L	20	75 - 125	20	80 - 120	20
Pb Total ICP 6010 in Water (EPA 6010B)							
Lead	0.010	0.020 mg/L	20	75 - 125	20	80 - 120	20
Sb Total 6020B in Water (EPA 6020B)							
Antimony	0.060	0.20 mg/L	20	75 - 125	20	80 - 120	20
Sb Total ICP 6010 in Water (EPA 6010B)							
Antimony	0.020	0.060 mg/L	20	75 - 125	20	80 - 120	20
Se Total 6020B in Water (EPA 6020B)							
Selenium	0.10	0.20 mg/L	20	75 - 125	20	80 - 120	20
Se Total ICP 6010 in Water (EPA 6010B)							
Selenium	0.010	0.020 mg/L	20	75 - 125	20	80 - 120	20
Tl Total 6020B in Water (EPA 6020B)							
Thallium	0.030	0.050 mg/L	20	75 - 125	20	80 - 120	20
Tl Total ICP 6010 in Water (EPA 6010B)							
Thallium	0.0030	0.050 mg/L	20	75 - 125	20	80 - 120	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

V Total 6020B in Water (EPA 6020B)

Vanadium	0.030	0.20 mg/L	20	75 - 125	20	80 - 120	20
----------	-------	-----------	----	----------	----	----------	----

V Total ICP 6010 in Water (EPA 6010B)

Vanadium	0.0030	0.020 mg/L	20	75 - 125	20	80 - 120	20
----------	--------	------------	----	----------	----	----------	----

Zn Total 6020B in Water (EPA 6020B)

Zinc	0.30	0.50 mg/L	20	75 - 125	20	80 - 120	20
------	------	-----------	----	----------	----	----------	----

Zn Total ICP 6010 in Water (EPA 6010B)

Zinc	0.10	0.30 mg/L	20	75 - 125	20	80 - 120	20
------	------	-----------	----	----------	----	----------	----

Ni Total ICP 6010 in Water (EPA 6010B)

Nickel	0.0030	0.10 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	-----------	----	----------	----	----------	----

Pb Total ICP 6010 in Water (EPA 6010B)

Lead	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20
------	--------	------------	----	----------	----	----------	----

Sb Total ICP 6010 in Water (EPA 6010B)

Antimony	0.0060	0.020 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Se Total ICP 6010 in Water (EPA 6010B)

Selenium	0.0080	0.020 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Sn Total ICP 6010 in Water (EPA 6010B)

Tin	0.0060	0.50 mg/L	20	70 - 130	20	85 - 115	20
-----	--------	-----------	----	----------	----	----------	----

Ti Total ICP 6010 in Water (EPA 6010B)

Titanium	0.020	0.50 mg/L	20	70 - 130	20	85 - 115	20
----------	-------	-----------	----	----------	----	----------	----

Tl Total ICP 6010 in Water (EPA 6010B)

Thallium	0.0030	0.40 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	-----------	----	----------	----	----------	----

V Total ICP 6010 in Water (EPA 6010B)

Vanadium	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	-----------	----	----------	----	----------	----

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Zn Total ICP 6010A in Water (EPA 6010B)							
Zinc	0.0080	0.10 mg/L	20	70 - 130	20	85 - 115	20
Zinc	0.0080	0.10 mg/L	20	70 - 130	20	85 - 115	20
Metals (Dissolved) by EPA 6000/7000 Series Methods							
Ag Diss ICP 6010 in Water (EPA 6010B)							
Silver, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
Al Diss ICP 6010 in Water (EPA 6010B)							
Aluminum, dissolved	0.050	0.050 mg/L	20	70 - 130	20	85 - 115	20
As Diss ICP 6010 in Water (EPA 6010B)							
Arsenic, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
Arsenic, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
B Diss ICP 6010 in Water (EPA 6010B)							
Boron, dissolved	0.060	0.20 mg/L	20	70 - 130	20	85 - 115	20
Ba Diss ICP 6010 in Water (EPA 6010B)							
Barium, dissolved	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
Barium, dissolved	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
Be Diss ICP 6010 in Water (EPA 6010B)							
Beryllium, dissolved	0.00020	0.010 mg/L	20	70 - 130	20	85 - 115	20
Ca Diss ICP 6010 in Water (EPA 6010B)							
Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
Cd Diss ICP 6010 in Water (EPA 6010B)							
Cadmium, dissolved	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Co Diss ICP 6010 in Water (EPA 6010B)							
Cobalt, dissolved	0.0020	0.020 mg/L	20	70 - 130	20	85 - 115	20
Cr Diss ICP 6010 in Water (EPA 6010B)							
Chromium, dissolved	0.0040	0.050 mg/L	20	70 - 130	20	85 - 115	20
Chromium, dissolved	0.0040	0.050 mg/L	20	70 - 130	20	85 - 115	20
Cu Diss ICP 6010 in Water (EPA 6010B)							
Copper, dissolved	0.0050	0.10 mg/L	20	70 - 130	20	85 - 115	20
Fe Diss ICP 6010 in Water (EPA 6010B)							
Iron, dissolved	0.050	0.10 mg/L	20	70 - 130	20	85 - 115	20
Iron, dissolved	0.050	0.10 mg/L	20	70 - 130	20	85 - 115	20
Hg Diss CVAA 7470 in Water (EPA 7470A)							
Mercury, dissolved	0.000060	0.0010 mg/L	20	60 - 140	20	80 - 120	20
K Diss ICP 6010 in Water (EPA 6010B)							
Potassium, dissolved	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
Potassium, dissolved	0.20	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mg Diss ICP 6010 in Water (EPA 6010B)							
Magnesium, dissolved	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Magnesium, dissolved	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Magnesium, dissolved	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
Mn Diss ICP 6010 in Water (EPA 6010B)							
Manganese, dissolved	0.0020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Mo Diss ICP 6010 in Water (EPA 6010B)							
Molybdenum, dissolved	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
Na Diss ICP 6010 in Water (EPA 6010B)							
Sodium, dissolved	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20
Sodium, dissolved	0.30	1.0 mg/L	20	70 - 130	20	85 - 115	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Silver Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Aluminum Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

As Diss EPA 6020B in Water (EPA 6020B)

Arsenic, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
--------------------	--------	------------	----	----------	----	----------	----

Barium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Beryllium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Cadmium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Cobalt Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Chromium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Copper Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Iron Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Mercury Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Manganese Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Nickel Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Lead Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Antimony Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Selenium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Thallium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Vanadium Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Zinc Diss EPA 6020B in Water (EPA 6020B)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Ni Diss ICP 6010 in Water (EPA 6010B)

Nickel, dissolved	0.0030	0.10 mg/L	20	70 - 130	20	85 - 115	20
-------------------	--------	-----------	----	----------	----	----------	----

Pb Diss ICP 6010 in Water (EPA 6010B)

Lead, dissolved	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20
-----------------	--------	------------	----	----------	----	----------	----

Sb Diss ICP 6010 in Water (EPA 6010B)

Antimony, dissolved	0.0060	0.020 mg/L	20	70 - 130	20	85 - 115	20
---------------------	--------	------------	----	----------	----	----------	----

Se Diss ICP 6010 in Water (EPA 6010B)

Selenium, dissolved	0.0080	0.020 mg/L	20	70 - 130	20	85 - 115	20
---------------------	--------	------------	----	----------	----	----------	----

Sn Diss ICP 6010 in Water (EPA 6010B)

Tin, dissolved	0.0060	0.50 mg/L	20	70 - 130	20	85 - 115	20
----------------	--------	-----------	----	----------	----	----------	----

Ti Diss ICP 6010 in Water (EPA 6010B)

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Titanium, dissolved	0.020	0.50 mg/L	20	70 - 130	20	85 - 115	20
TI Diss ICP 6010 in Water (EPA 6010B)							
Thallium, dissolved	0.0030	0.40 mg/L	20	70 - 130	20	85 - 115	20
V Diss ICP 6010 in Water (EPA 6010B)							
Vanadium, dissolved	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
Zn Diss ICP 6010 in Water (EPA 6010B)							
Zinc, dissolved	0.0080	0.10 mg/L	20	70 - 130	20	85 - 115	20
Conventional Chemistry Parameters by APHA/EPA Methods							
Alkalinity 2320B in Water (SM2320B)							
Bicarbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Carbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Hydroxide Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Total Alkalinity as CaCO ₃	1.0	5.0 mg/L	20			70 - 130	
Bicarbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Carbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Hydroxide Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Total Alkalinity as CaCO ₃	1.0	5.0 mg/L	20			70 - 130	
Ammonia as N in Water (SM4500-NH₃ C)							
Ammonia as N	0.10	0.20 mg/L		85 - 115	20	90 - 110	20
Anions, Total in Water (SM1030E)							
Total Anions	0.0400	0.100 meq/l	20				
Bicarbonate Alkalinity 2320B in Water (SM2320B)							
Bicarbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
BOD-SM5210B in Water (SM5210B)							
Biochemical Oxygen Demand	2.0	5.0 mg/L	30		30	84 - 115	30

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Carbonate Alkalinity 2320B in Water (SM2320B)

Carbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20
---	-----	----------	----

Cations, Total in Water (SM1030E)

Total Cations	0.0300	0.200 meq/l	
---------------	--------	-------------	--

COD-SM5220D in Water (SM5220D)

Chemical Oxygen Demand	20	50 mg/L	20	85 - 115	20	85 - 115	20
Chemical Oxygen Demand	20	50 mg/L	20	85 - 115	20	85 - 115	20

Conductivity-120.1 in Water (SM2510B)

Specific Conductance (EC)	1.0	20 umhos/cm	5
Specific Conductance (EC)	1.0	20 umhos/cm	5

pH by SM4500-H+ B in Water (SM4500-H+ B)

pH	1.680	1.680 pH Units	20
----	-------	----------------	----

Solids, TSS-SM2540D in Water (SM2540D)

Total Suspended Solids	1.0	1.0 mg/L	30
------------------------	-----	----------	----

Hardness Calc in Water (SM2340B)

Hardness, Total	1.00	5.00 mg/L	20
-----------------	------	-----------	----

Hardness Calc in Water (SM2340B)

Hardness, Total	1.00	5.00 mg/L	20
-----------------	------	-----------	----

O&G (HEM) in Water (EPA 1664A)

Oil & Grease (HEM)	1.4	5.0 mg/L	20	78 - 114	18	78 - 114	18
--------------------	-----	----------	----	----------	----	----------	----

NO₂+NO₃ as N SM4500-NO₃ E in Water (SM4500-NO₃ E)

Nitrate + Nitrite as N	0.040	0.20 mg/L	15	80 - 120	15	85 - 115	15
------------------------	-------	-----------	----	----------	----	----------	----

O&G (HEM) in Water (EPA 1664A)

Oil & Grease (HEM)	1.7	5.0 mg/L	18	78 - 114	18	78 - 114	18
--------------------	-----	----------	----	----------	----	----------	----

Perchlorate in Water (EPA 314.0)

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Perchlorate	0.90	4.0 ug/L	15	70 - 130	15	85 - 115	20
pH water 150.1 in Water (SM4500-H+ B)							
pH	1.680	1.680 pH Units	20				
Phosphorus-SM4500 in Water (SM4500-P E)							
Phosphorus, total	0.010	0.040 mg/L	20	70 - 130	20	85 - 115	20
Solids, TDS-SM2540C in Water (SM2540C)							
Total Dissolved Solids	10	10 mg/L	15			80 - 120	20
Total Dissolved Solids	10	10 mg/L	15			80 - 120	20
Solids, TSS-SM2540D in Water (SM2540D)							
Total Suspended Solids	1.0	1.0 mg/L	30			90 - 110	
Sulfide in Water (SM4500-S D)							
Sulfide	0.050	0.10 mg/L	15	80 - 120	15	85 - 115	15
Sulfide Dissolved in Water (SM4500-S D)							
Sulfide, dissolved	0.050	0.10 mg/L	15	80 - 120	15	80 - 120	15
Turbidity-180.1 in Water (SM2130B)							
Turbidity	0.10	0.10 NTU	20				
Miscellaneous Physical/Conventional Chemistry Parameters							
CN Low Level 5ppb in Water (10-204-00-1-X)							
Cyanide (total)	0.0020	0.0050 mg/L	25	85 - 115	25	85 - 115	25
Cyanide, Dissolved in Water (10-204-00-1-X)							
Cyanide (Dissolved)	0.0020	0.020 mg/L	25	85 - 115	25	85 - 115	25
Cyanide, Total in Water (10-204-00-1-X)							
Cyanide (total)	0.0020	0.020 mg/L	25	85 - 115	25	85 - 115	25

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Anions by EPA Method 300.0

Chloride 300.0 in Water (EPA 300.0)

Chloride	0.10	0.50 mg/L	20	80 - 120	20	90 - 110	20
Chloride	0.10	0.50 mg/L	20	80 - 120	20	90 - 110	20

Fluoride 300.0 in Water (EPA 300.0)

Fluoride	0.020	0.10 mg/L	20	80 - 120	20	90 - 110	20
Fluoride	0.020	0.10 mg/L	20	80 - 120	20	90 - 110	20

Nitrate as N 300.0 in Water (EPA 300.0)

Nitrate as N	0.040	0.20 mg/L	20	80 - 120	20	90 - 110	20
Nitrate as N	0.040	0.20 mg/L	20	80 - 120	20	90 - 110	20

Nitrite as N 300.0 in Water (EPA 300.0)

Nitrite as N	0.020	0.20 mg/L	20	80 - 120	20	90 - 110	20
--------------	-------	-----------	----	----------	----	----------	----

Orthophosphate 300.0 in Water (EPA 300.0)

Orthophosphate	0.30	0.30 mg/L	20	80 - 120	20	90 - 110	20
----------------	------	-----------	----	----------	----	----------	----

Sulfate 300.0 in Water (EPA 300.0)

Sulfate as SO ₄	0.20	0.50 mg/L	20	80 - 120	20	90 - 110	20
Sulfate as SO ₄	0.20	0.50 mg/L	20	80 - 120	20	90 - 110	20

Dissolved Sulfate 300.0 in Water (EPA 300.0)

Sulfate as SO ₄ , dissolved	0.20	0.50 mg/L	20		20		20
--	------	-----------	----	--	----	--	----

TPH by EPA/LUFT GC Methods with Modified EPA 3560 Silica Gel Cleanup

TPH D with SG Cleanup in Water (EPA 8015B)

TPH as Diesel	20	50 ug/L		70 - 130	20	70 - 130	20
---------------	----	---------	--	----------	----	----------	----

TPH D/MO with SG Column in Water (EPA 8015B)

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

TPH as Diesel	20	50 ug/L	70 - 130	20	70 - 130	20
TPH as Motor Oil	100	200 ug/L		20		20
TPH by EPA GC Methods						
TPH D in Water (EPA 8015B)						
TPH as Diesel	20	50 ug/L	70 - 130	20	70 - 130	20
TPH D/MO in Water (EPA 8015B)						
TPH as Diesel	20	50 ug/L	70 - 130	20	70 - 130	20
TPH as Motor Oil	100	200 ug/L		20		20
TPH G in Water (EPA 8015B)						
TPH as Gasoline	50	50 ug/L	25 60 - 140	20	70 - 130	20
Volatile Organic Compounds by EPA Method 524.2						
524.2 + Oxys in Water (EPA 524.2)						
Acrylonitrile	0.10	5.0 ug/L	70 - 130	30	70 - 130	30
Benzene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Bromobenzene	0.080	0.50 ug/L	70 - 130	30	70 - 130	30
Bromochloromethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Bromodichloromethane	0.20	1.0 ug/L	70 - 130	30	70 - 130	30
Bromoform	0.30	1.0 ug/L	70 - 130	30	70 - 130	30
Bromomethane	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
n-Butylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
sec-Butylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
tert-Butylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Carbon disulfide	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
Carbon tetrachloride	0.30	0.50 ug/L	70 - 130	30	70 - 130	30
Chlorobenzene	0.040	0.50 ug/L	70 - 130	30	70 - 130	30

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Chloroethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Chloroform	0.30	1.0 ug/L	70 - 130	30	70 - 130	30
Chloromethane	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
2-Chlorotoluene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
4-Chlorotoluene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Dibromochloromethane	0.30	1.0 ug/L	70 - 130	30	70 - 130	30
Dibromomethane	0.080	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichlorobenzene	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
1,3-Dichlorobenzene	0.070	0.50 ug/L	70 - 130	30	70 - 130	30
1,4-Dichlorobenzene	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
Dichlorodifluoromethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,1-Dichloroethane	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichloroethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,1-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
cis-1,2-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
trans-1,2-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichloropropane	0.080	0.50 ug/L	70 - 130	30	70 - 130	30
1,3-Dichloropropane	0.070	0.50 ug/L	70 - 130	30	70 - 130	30
2,2-Dichloropropane	0.30	0.50 ug/L	70 - 130	30	70 - 130	30
1,1-Dichloropropene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
cis-1,3-Dichloropropene	0.30	0.50 ug/L	70 - 130	30	70 - 130	30
trans-1,3-Dichloropropene	0.50	0.50 ug/L	70 - 130	30	70 - 130	30
Ethylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,3-Dichloropropene (total)	0.30	0.50 ug/L				
Hexachlorobutadiene	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
Isopropylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
p-Isopropyltoluene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Methyl ethyl ketone	0.20	5.0 ug/L	70 - 130	30	70 - 130	30
Methyl isobutyl ketone	0.20	5.0 ug/L	70 - 130	30	70 - 130	30

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Methylene chloride	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
Naphthalene	0.50	0.50 ug/L	70 - 130	30	70 - 130	30
n-Propylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Styrene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,1,2-Tetrachloroethane	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,2,2-Tetrachloroethane	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
Tetrachloroethene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Toluene	0.090	0.50 ug/L	70 - 130	30	70 - 130	30
1,2,3-Trichlorobenzene	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
1,2,4-Trichlorobenzene	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,1-Trichloroethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,2-Trichloroethane	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
Trichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Trichlorofluoromethane	0.20	5.0 ug/L	70 - 130	30	70 - 130	30
Trichlorotrifluoroethane	0.10	10 ug/L	70 - 130	30	70 - 130	30
1,2,4-Trimethylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,3,5-Trimethylbenzene	0.50	0.50 ug/L	70 - 130	30	70 - 130	30
Vinyl chloride	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
m,p-Xylene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
o-Xylene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Xylenes (total)	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Trihalomethanes (total)	0.30	0.50 ug/L				
Methyl tert-butyl ether	0.50	3.0 ug/L	70 - 130	30	70 - 130	30
Ethyl tert-butyl ether	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Tert-amyl methyl ether	0.30	0.50 ug/L	70 - 130	30	70 - 130	30
Tert-butyl alcohol	6.0	10 ug/L	70 - 130	30	70 - 130	30
surr: Bromofluorobenzene			70 - 130			
surr: Dibromofluoromethane			70 - 130			
surr: Toluene-d8			70 - 130			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

524.2 DDW Regulated VOC in Water (EPA 524.2)

Benzene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Carbon tetrachloride	0.30	0.50 ug/L	70 - 130	30	70 - 130	30
Chlorobenzene	0.040	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichlorobenzene	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
1,4-Dichlorobenzene	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
1,1-Dichloroethane	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichloroethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,1-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
cis-1,2-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
trans-1,2-Dichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,2-Dichloropropane	0.080	0.50 ug/L	70 - 130	30	70 - 130	30
Ethylbenzene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,3-Dichloropropene (total)	0.30	0.50 ug/L		30		30
Methyl tert-butyl ether	0.50	3.0 ug/L	70 - 130	30	70 - 130	30
Methylene chloride	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
Styrene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,2,2-Tetrachloroethane	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
Tetrachloroethene	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Toluene	0.090	0.50 ug/L	70 - 130	30	70 - 130	30
1,2,4-Trichlorobenzene	0.40	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,1-Trichloroethane	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
1,1,2-Trichloroethane	0.060	0.50 ug/L	70 - 130	30	70 - 130	30
Trichloroethene	0.10	0.50 ug/L	70 - 130	30	70 - 130	30
Trichlorofluoromethane	0.20	5.0 ug/L	70 - 130	30	70 - 130	30
Trichlorotrifluoroethane	0.10	10 ug/L	70 - 130	30	70 - 130	30
Vinyl chloride	0.20	0.50 ug/L	70 - 130	30	70 - 130	30
Xylenes (total)	0.20	0.50 ug/L	70 - 130	30	70 - 130	30

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

surr: Bromofluorobenzene	70 - 130
surr: Dibromofluoromethane	70 - 130
surr: Toluene-d8	70 - 130

Volatile Organic Compounds by EPA Method 8260B

8260B Full List in Water (EPA 8260B)

Dichlorodifluoromethane	0.20	1.0 ug/L	25	20		
Chloromethane	0.20	1.0 ug/L	25	20		
Vinyl chloride	0.20	1.0 ug/L	25	20		
Bromomethane	0.20	1.0 ug/L	25	20		
Chloroethane	0.20	1.0 ug/L	25	20		
Trichlorofluoromethane	0.20	1.0 ug/L	25	20		
1,1-Dichloroethene	0.20	1.0 ug/L	60 - 140	25	70 - 130	20
Trichlorotrifluoroethane	0.20	1.0 ug/L	25	20		
Tert-butyl alcohol	10	25 ug/L	25	20		
Methyl iodide	0.20	1.0 ug/L	25	20		
Methylene chloride	0.20	1.0 ug/L	25	20		
Carbon disulfide	0.20	1.0 ug/L	25	20		
Methyl tert-butyl ether	0.20	1.0 ug/L	25	20		
trans-1,2-Dichloroethene	0.20	1.0 ug/L	25	20		
1,1-Dichloroethane	0.20	1.0 ug/L	25	20		
Di-isopropyl ether	0.20	1.0 ug/L	25	20		
cis-1,2-Dichloroethene	0.20	1.0 ug/L	25	20		
2,2-Dichloropropane	0.20	1.0 ug/L	25	20		
Chloroform	0.20	1.0 ug/L	25	20		
Bromochloromethane	0.20	1.0 ug/L	25	20		
Tetrahydrofuran	0.20	1.0 ug/L	25	20		
1,1,1-Trichloroethane	0.20	1.0 ug/L	25	20		

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

1,2-Dichloroethane	0.20	1.0 ug/L	25	20
1,1-Dichloropropene	0.20	1.0 ug/L	25	20
Carbon tetrachloride	0.20	1.0 ug/L	25	20
Benzene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
Tert-amyl methyl ether	0.20	1.0 ug/L	25	20
Trichloroethene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
1,2-Dichloropropane	0.20	1.0 ug/L	25	20
Methyl methacrylate	0.20	1.0 ug/L	25	20
Bromodichloromethane	0.20	1.0 ug/L	25	20
cis-1,3-Dichloropropene	0.20	1.0 ug/L	25	20
Toluene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
trans-1,3-Dichloropropene	0.20	1.0 ug/L	25	20
1,1,2-Trichloroethane	0.20	1.0 ug/L	25	20
1,3-Dichloropropane	0.20	1.0 ug/L	25	20
Dibromochloromethane	0.20	1.0 ug/L	25	20
Tetrachloroethene	0.20	1.0 ug/L	25	20
1,2-Dibromoethane (EDB)	0.20	1.0 ug/L	25	20
Chlorobenzene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
1,1,1,2-Tetrachloroethane	0.20	1.0 ug/L	25	20
Ethylbenzene	0.20	1.0 ug/L	25	20
m,p-Xylene	0.20	1.0 ug/L	25	20
o-Xylene	0.20	1.0 ug/L	25	20
Xylenes (total)	0.20	1.0 ug/L	25	20
Styrene	0.20	1.0 ug/L	25	20
Bromoform	0.20	1.0 ug/L	25	20
1,1,2,2-Tetrachloroethane	0.20	1.0 ug/L	25	20
Isopropylbenzene	0.20	1.0 ug/L	25	20
1,2,3-Trichloropropane	0.20	1.0 ug/L	25	20
Bromobenzene	0.20	1.0 ug/L	25	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

n-Propylbenzene	0.20	1.0 ug/L	25	20
2-Chlorotoluene	0.20	1.0 ug/L	25	20
4-Chlorotoluene	0.20	1.0 ug/L	25	20
1,3,5-Trimethylbenzene	0.20	1.0 ug/L	25	20
tert-Butylbenzene	0.20	1.0 ug/L	25	20
1,2,4-Trimethylbenzene	0.20	1.0 ug/L	25	20
sec-Butylbenzene	0.20	1.0 ug/L	25	20
1,3-Dichlorobenzene	0.20	1.0 ug/L	25	20
p-Isopropyltoluene	0.20	1.0 ug/L	25	20
1,4-Dichlorobenzene	0.20	1.0 ug/L	25	20
1,2-Dichlorobenzene	0.20	1.0 ug/L	25	20
Ethyl tert-butyl ether	0.40	1.0 ug/L		
n-Butylbenzene	0.20	1.0 ug/L	25	20
1,2-Dibromo-3-chloropropane	0.20	1.0 ug/L	25	20
1,2,4-Trichlorobenzene	0.20	1.0 ug/L	25	20
Naphthalene	0.20	1.0 ug/L	25	20
Hexachlorobutadiene	0.20	1.0 ug/L	25	20
1,2,3-Trichlorobenzene	0.20	1.0 ug/L	25	20
Methyl ethyl ketone	5.1	15 ug/L	25	20
Methyl isobutyl ketone	2.5	10 ug/L	25	20
surr: Dibromofluoromethane	1.0	70 - 130		
surr: Toluene-d8	1.0	70 - 130		
surr: Bromofluorobenzene	1.0	70 - 130		

Organochlorine Pesticides and PCBs by EPA Method 8081/8082

8081/8082 Pest/PCB in Water (EPA 8081A/8082)					
Aldrin	0.0090	0.010 ug/L	46 - 119	27	43 - 120
alpha-BHC	0.0080	0.010 ug/L		20	20

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

beta-BHC	0.020	0.050 ug/L		20		20
delta-BHC	0.020	0.050 ug/L		20		20
gamma-BHC (Lindane)	0.0080	0.010 ug/L	61 - 130	20	59 - 122	20
Chlordane-alpha	0.020	0.050 ug/L				
Chlordane-gamma	0.020	0.050 ug/L				
4,4'-DDD	0.020	0.020 ug/L		20		20
4,4'-DDE	0.020	0.020 ug/L		20		20
4,4'-DDT	0.020	0.020 ug/L	54 - 143	20	79 - 143	20
Dieldrin	0.0070	0.010 ug/L	60 - 132	20	80 - 124	20
Endosulfan I	0.0090	0.010 ug/L		20		20
Endosulfan II	0.020	0.020 ug/L		20		20
Endosulfan sulfate	0.020	0.050 ug/L		20		20
Endrin	0.0090	0.010 ug/L	61 - 156	20	59 - 176	20
Endrin aldehyde	0.020	0.050 ug/L		20		30
Heptachlor	0.010	0.020 ug/L	57 - 125	20	67 - 120	20
Heptachlor epoxide	0.020	0.020 ug/L		20		20
Methoxychlor	0.020	0.020 ug/L		20		20
Toxaphene	0.10	0.50 ug/L				
PCB-1016	0.080	0.50 ug/L				
PCB-1221	0.20	0.50 ug/L				
PCB-1232	0.10	0.50 ug/L				
PCB-1242	0.040	0.50 ug/L				
PCB-1248	0.060	0.50 ug/L				
PCB-1254	0.040	0.50 ug/L				
PCB-1260	0.040	0.50 ug/L				
PCB-1262	0.040	0.50 ug/L				
surr: 2,4,5,6 Tetrachloro-m-xylene			60 - 135			
surr: Decachlorobiphenyl			60 - 135			

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Chlorinated Herbicides by EPA Method 8151A

8151 Herbicides Water in Water (EPA 8151A)

2,4-D	1.0	1.0 ug/L	70 - 130	50	80 - 120	50
2,4-DB	1.0	5.0 ug/L	70 - 130	50	80 - 120	50
2,4,5-T	0.20	0.50 ug/L	70 - 130	50	80 - 120	50
2,4,5-TP (Silvex)	0.20	0.50 ug/L	70 - 130	50	80 - 120	50
Dalapon	2.0	6.0 ug/L	70 - 130	50	80 - 120	50
Dicamba	0.30	0.40 ug/L	70 - 130	50	80 - 120	50
Dinoseb	0.20	1.0 ug/L	70 - 130	50	80 - 120	50
Dichlorprop	0.40	1.0 ug/L	70 - 130	50	80 - 120	50
Pentachlorophenol	0.20	0.20 ug/L	70 - 130	50	80 - 120	50
surr: DCAA			62 - 124			

Organophosphorus Compounds by EPA Method 8141A

8141A OPP in Water (EPA 8141A)

Azinphos methyl	0.40	2.0 ug/L	42 - 147	30	42 - 147	30
Chlorpyrifos	0.70	1.0 ug/L	50 - 134	30	50 - 134	30
Demeton-o	0.20	2.0 ug/L	18 - 128	30	18 - 128	30
Demeton-s	0.30	2.0 ug/L	43 - 125	30	43 - 125	30
Diazinon	0.30	0.50 ug/L	50 - 121	30	50 - 121	30
Dichlorvos	0.40	2.0 ug/L	77 - 143	30	77 - 143	30
Dimethoate	1.0	2.0 ug/L	37 - 133	30	37 - 133	30
Disulfoton	0.30	2.0 ug/L	50 - 119	30	50 - 119	30
Fenthion	0.50	2.0 ug/L	56 - 125	30	56 - 125	30
Malathion	0.80	2.0 ug/L	39 - 127	30	39 - 127	30
Parathion	0.90	2.0 ug/L	33 - 137	30	33 - 137	30
Parathion-methyl	0.40	2.0 ug/L	52 - 134	30	52 - 134	30

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Phorate	0.40	2.0 ug/L	58 - 119	30	58 - 119	30
Ronnel	0.30	2.0 ug/L	41 - 135	30	41 - 135	30
Stirofos	0.30	2.0 ug/L	34 - 151	30	34 - 151	30
Thionazin	1.0	2.0 ug/L	60 - 118	30	60 - 118	30
surr: Tributyl phosphate			37 - 115			
surr: Triphenyl phosphate			44 - 145			

Semivolatile Organic Compounds by EPA Method 8270C

8270 Appendix II in Water (EPA 8270C)

Acenaphthene	0.60	10 ug/L	47 - 145	48	60 - 132	27
Acenaphthylene	0.50	10 ug/L		74		25
Anthracene	0.40	10 ug/L		66		25
Benzo (a) anthracene	0.40	10 ug/L		53		25
Benzo (a) pyrene	0.50	10 ug/L		72		25
Benzo (b) fluoranthene	0.60	10 ug/L		71		25
Benzo (g,h,i) perylene	0.90	10 ug/L		97		40
Benzo (k) fluoranthene	0.50	10 ug/L		63		25
Benzyl alcohol	3.0	20 ug/L		31		31
Bis(2-chloroethoxy)methane	0.90	10 ug/L		54		28
Benzidine	5.0	50 ug/L	4 - 262	108	12 - 151	42
Bis(2-chloroethyl)ether	0.90	10 ug/L		108		35
Bis(2-chloroisopropyl)ether	1.0	10 ug/L		76		36
Bis(2-ethylhexyl)phthalate	3.0	10 ug/L		82		25
4-Bromophenyl phenyl ether	1.0	10 ug/L		43		25
Butyl benzyl phthalate	0.60	10 ug/L		60		34
4-Chloro-3-methylphenol	1.0	10 ug/L	22 - 147	73	41 - 128	35
4-Chloroaniline	1.0	20 ug/L		25		25
2-Chloronaphthalene	0.60	10 ug/L		24		28

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

2-Chlorophenol	0.70	10 ug/L	23 - 134	61	36 - 120	37
4-Chlorophenyl phenyl ether	0.90	10 ug/L		61		27
Chrysene	0.80	10 ug/L		87		25
Di-n-butyl phthalate	0.90	10 ug/L		47		30
Di-n-octyl phthalate	0.60	10 ug/L		69		29
Dibenz (a,h) anthracene	0.80	10 ug/L		126		39
Dibenzofuran	0.90	10 ug/L		29		29
1,2-Dichlorobenzene	0.60	10 ug/L		41		38
1,3-Dichlorobenzene	0.60	10 ug/L		41		41
1,4-Dichlorobenzene	0.60	10 ug/L	3 - 105	42	32 - 91	41
3,3'-Dichlorobenzidine	5.0	50 ug/L	4 - 262	108	8 - 120	39
2,4-Dichlorophenol	0.70	10 ug/L		50		34
Diethyl phthalate	0.30	10 ug/L		100		34
Dimethyl phthalate	0.80	10 ug/L		183		42
2,4-Dimethylphenol	1.0	10 ug/L		58		62
4,6-Dinitro-2-methylphenol	3.0	50 ug/L		203		50
2,4-Dinitrophenol	5.0	50 ug/L		132		55
2,4-Dinitrotoluene	0.80	10 ug/L	39 - 139	42	48 - 127	32
2,6-Dinitrotoluene	0.80	10 ug/L	50 - 158	48	68 - 137	27
1,2-Diphenylhydrazine	0.60	10 ug/L		25		25
Fluoranthene	0.80	10 ug/L		66		29
Fluorene	0.80	10 ug/L		38		28
Hexachlorobenzene	0.90	10 ug/L		55		25
Hexachlorobutadiene	0.80	10 ug/L		62		40
Hexachlorocyclopentadiene	4.0	15 ug/L		55		55
Hexachloroethane	0.60	10 ug/L		52		25
Indeno (1,2,3-cd) pyrene	0.60	10 ug/L		99		39
Isophorone	0.30	10 ug/L		93		45
2-Methylnaphthalene	1.0	10 ug/L		33		33

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

2-Methylphenol (o-cresol)	0.60	10 ug/L	33	33
3 & 4-Methylphenol (m & p-cresol)	0.60	10 ug/L	33	33
N-Nitrosodi-n-propylamine	0.80	10 ug/L	2 - 230 87	14 - 198 37
N-Nitrosodimethylamine	0.30	5.0 ug/L	59	59
N-Nitrosodiphenylamine	1.0	10 ug/L	25	25
Naphthalene	0.70	10 ug/L	65	30
2-Nitroaniline	1.0	50 ug/L	26	25
3-Nitroaniline	5.0	50 ug/L	25	25
Nitrobenzene	0.90	10 ug/L	62	30
4-Nitroaniline	4.0	50 ug/L	33	33
2-Nitrophenol	0.90	10 ug/L	55	40
4-Nitrophenol	3.0	50 ug/L	7 - 132 131	13 - 129 61
Pentachlorophenol	4.0	50 ug/L	14 - 176 86	38 - 152 49
Phenanthrene	0.90	10 ug/L	39	25
Phenol	0.50	10 ug/L	5 - 120 64	17 - 120 38
Pyrene	0.40	10 ug/L	52 - 120 49	70 - 120 38
Pyridine	3.0	10 ug/L	25	25
1,2,4-Trichlorobenzene	0.60	10 ug/L	44 - 142 50	57 - 130 34
2,4,5-Trichlorophenol	0.60	10 ug/L	25	40
2,4,6-Trichlorophenol	0.70	10 ug/L	58	41
surr: 2-Fluorobiphenyl		30 - 119		
surr: 2-Fluorophenol		10 - 120		
surr: Nitrobenzene-d5		15 - 150		
surr: p-Terphenyl-d14		35 - 141		
surr: Phenol-d6		10 - 120		
surr: 2,4,6-Tribromophenol		10 - 168		
1,2,4,5-Tetrachlorobenzene	1.0	10 ug/L		
1,3,5-Trinitrobenzene	1.0	10 ug/L		
1,3-Dinitrobenzene	1.0	10 ug/L		

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
 Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
 North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
 Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

1,4-Naphthoquinone	1.0	10 ug/L
1,4-Phenylenediamine	1.0	10 ug/L
1-Methylnaphthalene	1.0	10 ug/L
1-Naphthylamine	1.0	10 ug/L
2,3,4,6-Tetrachlorophenol	1.0	10 ug/L
2-Acetylaminofluorene	1.0	10 ug/L
2-Naphthylamine	1.0	10 ug/L
2-Picoline	1.0	10 ug/L
3,3'-Dimethylbenzidine	1.0	10 ug/L
3-Methylcholanthrene	1.0	10 ug/L
4,4'-DDD	1.0	10 ug/L
4,4'-DDE	1.0	10 ug/L
4,4'-DDT	1.0	10 ug/L
4-Aminobiphenyl	1.0	10 ug/L
4-Nitroquinoline-n-oxide	1.0	10 ug/L
5-Nitro-o-toluidine	1.0	10 ug/L
7,12-Dimethylbenz (a) anthracene	1.0	10 ug/L
a,a-Dimethylphenethylamine	1.0	10 ug/L
Acetophenone	1.0	10 ug/L
Aldrin	1.0	10 ug/L
alpha-BHC	1.0	10 ug/L
Aniline	1.0	10 ug/L
Aramite	1.0	10 ug/L
Azobenzene	1.0	10 ug/L
beta-BHC	1.0	10 ug/L
Chlorobenzilate	1.0	10 ug/L
delta-BHC	1.0	10 ug/L
Diallate (cis or trans)	1.0	10 ug/L
Dieldrin	1.0	10 ug/L

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Dimethoate	1.0	10 ug/L
Dimethylaminoazobenzene	1.0	10 ug/L
Diphenylamine	1.0	10 ug/L
Endosulfan I	1.0	10 ug/L
Endosulfan II	1.0	10 ug/L
Endosulfan sulfate	1.0	10 ug/L
Endrin	1.0	10 ug/L
Endrin aldehyde	1.0	10 ug/L
Ethyl methanesulfonate	1.0	10 ug/L
Famphur	1.0	10 ug/L
gamma-BHC (Lindane)	1.0	10 ug/L
Heptachlor	1.0	10 ug/L
Heptachlor epoxide	1.0	10 ug/L
Hexachlorophene	1.0	10 ug/L
Hexachloropropene	1.0	10 ug/L
Isodrin	1.0	10 ug/L
Isosafrole	1.0	10 ug/L
Kepone	1.0	10 ug/L
Methapyrilene	1.0	10 ug/L
Methoxychlor	1.0	10 ug/L
Methyl methanesulfonate	1.0	10 ug/L
Methyl parathion	1.0	10 ug/L
N-Nitrosodiethylamine	5.0	50 ug/L
N-Nitrosodi-n-butylamine	5.0	50 ug/L
N-Nitrosomethylethylamine	5.0	50 ug/L
N-Nitrosomorpholine	5.0	50 ug/L
N-Nitrosopiperidine	5.0	50 ug/L
N-Nitrosopyrrolidine	5.0	50 ug/L
O,O,O-Triethyl phosphorothioate	1.0	10 ug/L

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Thionazin	1.0	10 ug/L
o-Toluidine	1.0	10 ug/L
Pentachlorobenzene	1.0	10 ug/L
Pentachloroethane	1.0	10 ug/L
Phenacetin	1.0	10 ug/L
Pronamide	1.0	10 ug/L
Safrole	1.0	10 ug/L
Sulfotep	1.0	10 ug/L

8270 Regular List in Water (EPA 8270C)

Acenaphthene	0.60	10 ug/L	47 - 145	48	50 - 135	25
Acenaphthylene	0.50	10 ug/L		74		25
Anthracene	0.40	10 ug/L		66		25
Benzo (a) anthracene	0.40	10 ug/L		53		25
Benzo (a) pyrene	0.50	10 ug/L		72		25
Benzo (b) fluoranthene	0.60	10 ug/L		71		25
Benzo (g,h,i) perylene	0.90	10 ug/L		97		40
Benzo (k) fluoranthene	0.50	10 ug/L		63		25
Benzyl alcohol	3.0	20 ug/L		31		31
Bis(2-chloroethoxy)methane	0.90	10 ug/L		54		28
Benzidine	5.0	50 ug/L		108		42
Bis(2-chloroethyl)ether	0.90	10 ug/L		108		35
Bis(2-chloroisopropyl)ether	1.0	10 ug/L		76		36
Bis(2-ethylhexyl)phthalate	3.0	10 ug/L		82		25
4-Bromophenyl phenyl ether	1.0	10 ug/L		43		25
Butyl benzyl phthalate	0.60	10 ug/L		60		34
4-Chloro-3-methylphenol	1.0	10 ug/L	22 - 147	73	40 - 130	35
4-Chloroaniline	1.0	20 ug/L		25		25
2-Chloronaphthalene	0.60	10 ug/L		24		28

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

2-Chlorophenol	0.70	10 ug/L	23 - 134	61	35 - 135	35
4-Chlorophenyl phenyl ether	0.90	10 ug/L		61		27
Chrysene	0.80	10 ug/L		87		25
Di-n-butyl phthalate	0.90	10 ug/L		47		30
Di-n-octyl phthalate	0.60	10 ug/L		69		29
Dibenz (a,h) anthracene	0.80	10 ug/L		126		39
Dibenzofuran	0.90	10 ug/L		29		29
1,2-Dichlorobenzene	0.60	10 ug/L		41		38
1,3-Dichlorobenzene	0.60	10 ug/L		41		41
1,4-Dichlorobenzene	0.60	10 ug/L	3 - 105	42	20 - 120	40
3,3'-Dichlorobenzidine	5.0	50 ug/L		108		39
2,4-Dichlorophenol	0.70	10 ug/L		50		34
Diethyl phthalate	0.30	10 ug/L		100		34
Dimethyl phthalate	0.80	10 ug/L		183		42
2,4-Dimethylphenol	1.0	10 ug/L		58		62
4,6-Dinitro-2-methylphenol	3.0	50 ug/L		203		50
2,4-Dinitrophenol	5.0	50 ug/L		132		55
2,4-Dinitrotoluene	0.80	10 ug/L	39 - 139	42	45 - 130	30
2,6-Dinitrotoluene	0.80	10 ug/L		48		27
1,2-Diphenylhydrazine	0.60	10 ug/L		25		25
Fluoranthene	0.80	10 ug/L		66		29
Fluorene	0.80	10 ug/L		38		28
Hexachlorobenzene	0.90	10 ug/L		55		25
Hexachlorobutadiene	0.80	10 ug/L		62		40
Hexachlorocyclopentadiene	4.0	15 ug/L		55		55
Hexachloroethane	0.60	10 ug/L		52		25
Indeno (1,2,3-cd) pyrene	0.60	10 ug/L		99		39
Isophorone	0.30	10 ug/L		93		45
2-Methylnaphthalene	1.0	10 ug/L		33		33

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

2-Methylphenol (o-cresol)	0.60	10 ug/L	33	33
3 & 4-Methylphenol (m & p-cresol)	0.60	10 ug/L	33	33
N-Nitrosodi-n-propylamine	0.80	10 ug/L	2 - 230 87	20 - 135 35
N-Nitrosodiphenylamine	1.0	10 ug/L	25	25
N-Nitrosodimethylamine	0.30	5.0 ug/L	59	59
Naphthalene	0.70	10 ug/L	65	30
2-Nitroaniline	1.0	50 ug/L	26	25
3-Nitroaniline	5.0	50 ug/L	25	25
4-Nitroaniline	4.0	50 ug/L	33	33
Nitrobenzene	0.90	10 ug/L	62	30
2-Nitrophenol	0.90	10 ug/L	55	40
4-Nitrophenol	3.0	50 ug/L	7 - 132 131	10 - 135 60
Pentachlorophenol	4.0	50 ug/L	14 - 176 86	20 - 150 45
Phenanthrene	0.90	10 ug/L	39	25
Phenol	0.50	10 ug/L	5 - 120 64	10 - 130 35
Pyrene	0.40	10 ug/L	52 - 120 49	50 - 150 35
1,2,4-Trichlorobenzene	0.60	10 ug/L	20 - 140 50	20 - 130 35
2,4,5-Trichlorophenol	0.60	10 ug/L	25	40
2,4,6-Trichlorophenol	0.70	10 ug/L	58	41
surr: 2-Fluorobiphenyl		30 - 120		
surr: 2-Fluorophenol		10 - 120		
surr: Nitrobenzene-d5		15 - 150		
surr: p-Terphenyl-d14		35 - 150		
surr: Phenol-d6		10 - 120		
surr: 2,4,6-Tribromophenol		10 - 165		

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Matrix: Water				
524.2 + Oxys	VOA Vial - HCl	Dechlorinate; HCl to pH<2; <6°C	4 VOA vials	14
524.2 DDW Regulated VOC	VOA Vial - HCl	Dechlorinate; HCl to pH<2; <6°C	4 VOA vials	14
8081/8082 Pest/PCB	1L Amber- Unpres.	<6°C	2 1L	7
8141A OPP	1L Amber- Unpres.	<6°C	2 1L	7
8151 Herbicides Water	1L Amber- Unpres.	<6°C	2 1L	7
8260B Full List	VOA Vial - HCl	Dechlorinate; HCl to pH<2; <6°C	4 VOA Vials	14
8270 Appendix II	1L Amber- Unpres.	<6°C	2 1L Ambers	7
8270 Regular List	1L Amber- Unpres.	<6°C	2 1L Ambers	7
Ag Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ag SW ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Ag Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Ag Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ag Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Al Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Al Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Al Diss ICP/MS 200.8	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Al SW ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Al Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Al Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Al Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Al Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Alkalinity 2320B	500mL Poly Unpres	<6°C	500 ml	14
Alkalinity 2320B	500mL Poly Unpres	<6°C	500 ml	14
Aluminum Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Ammonia as N	1L Poly - H ₂ SO ₄	Add H ₂ SO ₄ to pH<2; <6°C	400mL	28
Anions, Total	500mL Poly Unpres	<6°C	1000ml	180
Antimony Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
As Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
As Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
As Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
As Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
As SW ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
As Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
As Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
As Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
As Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
B Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
B Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
B Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
B Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ba Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ba Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ba Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Ba Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Ba Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ba Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Barium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
BaTotal ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Be Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Be Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Be Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Be Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Beryllium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Bicarbonate Alkalinity 2320B	500mL Poly Unpres	<6°C	500 ml	14

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
BOD-SM5210B	1L Poly - Unpres	<6°C	300mL	2
Ca Diss 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Diss 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Total 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ca Total 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ca Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cadmium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Carbonate Alkalinity 2320B	500mL Poly Unpres	<6°C	500 ml	14

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Cations, Total	250mL Poly HNO3	Add HNO3 to pH<2	100ml	180
Cd Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Cd SW ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cd Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Cd Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cd Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Chloride 300.0	250mL Poly Unpres	None	50mL	28
Chloride 300.0	250mL Poly Unpres	None	50mL	28
Chromium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
CN Low Level 5ppb	250mL Brown Poly NaOH	Dechlorinate; NaOH to pH>12, <6°C	50mL	14
Co Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Co Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Co Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Co Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Cobalt Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
COD-SM5220D	250mL Poly H2SO4	Add H2SO4 to pH<2; <6°C	100mL	28
COD-SM5220D	250mL Poly H2SO4	Add H2SO4 to pH<2; <6°C	100mL	28
Conductivity-120.1	250mL Poly Unpres	<6°C	100mL	28
Conductivity-120.1	250mL Poly Unpres	<6°C	100mL	28
Copper Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Cr Diss 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Cr Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Cr Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Cr Total 6020B	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
Cr Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
Cr Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cr Total ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cu Diss 200.7	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Cu Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Cu SW ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cu Total 6020B	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
Cu Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cu Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Cu Total ICP 6010A	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cu Total ICP 6010A	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cu Total ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Cyanide, Dissolved	250mL Brown Poly NaOH	Dechlorinate; NaOH to pH>12, <6°C	500ml	14
Cyanide, Total	250mL Brown Poly NaOH	Dechlorinate; NaOH to pH>12, <6°C	50mL	14
Dissolved Sulfate 300.0	500mL Poly Unpres	<6°C	500ml	28
Fe Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Fe Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Fe Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Fe Diss ICP/MS 200.8	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Fe Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Fe Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Fe Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Filtration	*** DEFAULT CONTAINER ***	<6°C	-	180
Fluoride 300.0	250mL Poly Unpres	None	100mL	28
Fluoride 300.0	250mL Poly Unpres	None	100mL	28
Hardness Calc	250mL Poly HNO3	Add HNO3 to pH<2	250ML	180
Hardness Calc	250mL Poly HNO3	Add HNO3 to pH<2	250ML	180
Hg Diss CVAA 7470	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	28
Hg LL CVAA Total 245.1	250mL Poly HNO3	Add HNO3 to pH<2	100mL	28
Hg Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Hg Total CVAA 245.1	250mL Poly HNO3	Add HNO3 to pH<2	100mL	28

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
 Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
 North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
 Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Hg Total CVAA 7470	250mL Poly HNO3	Add HNO3 to pH<2	100mL	28
Iron Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
K Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
K Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
K Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
K Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
K Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
K Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Lead Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Manganese Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Mercury Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Mg Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mg Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mg Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mg Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mg Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mg Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mg Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mg Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mn Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mn Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mn Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Mn Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mn Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mo Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mo Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Mo Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Mo Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Mo Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Mo Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Na Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Na Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Na Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Na Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Na Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Na Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Ni Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Ni SW ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Ni Total 6020B	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
Ni Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
Ni Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Nickel Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Nitrate as N 300.0	250mL Poly Unpres	<6°C	100mL	2
Nitrate as N 300.0	250mL Poly Unpres	<6°C	100mL	2

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Nitrite as N 300.0	250mL Poly Unpres	<6°C	100ml	2
NO ₂ +NO ₃ as N SM4500-NO ₃ E	250mL Poly H ₂ SO ₄	<6°C	250 ml	28
O&G (HEM)	1L Amber-H ₂ SO ₄	Add H ₂ SO ₄ to pH<2; <6°C	2 1L	28
O&G (HEM)	1L Amber-H ₂ SO ₄	Add H ₂ SO ₄ to pH<2; <6°C	2 1L	28
Orthophosphate 300.0	250mL Poly Unpres	Filter in field, <6°C	100mL	2
Pb Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Pb Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Pb Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Pb Diss ICP/MS 200.8	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Pb SW ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Pb Total 6020B	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Pb Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Pb Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Pb Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Pb Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Perchlorate	250mL Poly Unpres	<6°C	100mL	28
pH by SM4500-H+ B	250mL Poly Unpres	<6°C	250ml	0.01
pH Field	250mL Poly Unpres	<6°C	250ml	0.01
pH SW Field Strip	250mL Poly Unpres	<6°C	250ml	0.01
pH water 150.1	250mL Poly Unpres	<6°C	250ml	0.01
Phosphorus-SM4500	250mL Poly H2SO4	Add H2SO4 to pH<2; <6°C	50mL	28
Sb Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Sb Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Sb Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Sb Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Se Diss ICP 6010	250mL Poly Unpres	Add HNO3 to pH<2	100mL	180
Se SW ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Se Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Se Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Se Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Selenium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Silver Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Sn Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Sn Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Solids, TDS-SM2540C	250mL Poly Unpres	<6°C	100mL	7
Solids, TDS-SM2540C	250mL Poly Unpres	<6°C	100mL	7
Solids, TSS-SM2540D	1L Poly - Unpres	<6°C	1000 ml	7
Solids, TSS-SM2540D	1L Poly - Unpres	<6°C	1000mL	7
Sulfate 300.0	250mL Poly Unpres	<6°C	100mL	28
Sulfate 300.0	250mL Poly Unpres	<6°C	100mL	28
Sulfide	250mL Poly NaOH/Zn	Zinc acetate and NaOH to pH>9; <6°C	300ml	7
Sulfide Dissolved	500mL Poly Unpres	<6°C	300mL	7
Thallium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Ti Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Ti Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ti Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Tin Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Tl Diss ICP 200.7	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Tl Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Tl Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Tl Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Tl Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
TPH D	1L Amber- Unpres.	<6°C	2 1-LAmbers	7
TPH D with SG Cleanup	1L Amber- Unpres.	<6°C	2 1-LAmbers	7
TPH D/MO	1L Amber- Unpres.	<6°C	2 1-LAmbers	7

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
TPH D/MO with SG Column	1L Amber- Unpres.	<6°C	2 1-L Ambers	7
TPH G	VOA Vial - HCl	<6°C	3 VOA Vials	14
Turbidity-180.1	250mL Poly Unpres	<6°C	50mL	2
V Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
V Total 6020B	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
V Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	250ml	180
V Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Vanadium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Zinc Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Zn Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Zn Diss ICP/MS 200.8	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Alex Straessle
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 2023 Master Price Sheet

Quoted: 8/24/2023
Effective: 08/02/23
Expires: 12/31/28

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Zn SW ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Zn Total 6020B	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Zn Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Zn Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	250ml	180
Zn Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Zn Total ICP 6010A	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Corporate: 208 Mason Street | Ukiah, CA 95482 | 707-468-0401 | ELAP# 1551
Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | 925-828-6226 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | 916-686-5190 | ELAP# 2922
North Bay: 737 Southpoint Blvd Unit D | Petaluma, CA 94954 | 707-769-3128 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | 760-930-2555 | ELAP# 3055
Los Angeles: 1230 E. 223rd Street Suite 205 | Carson, CA 90745 | 424-267-5032 | ELAP# 3091