

**AMENDMENT NUMBER 1 TO DEPARTMENT OF TRANSPORTATION AGREEMENT
NUMBER 160098 / BOARD OF SUPERVISORS AGREEMENT NUMBER 17-004,
PROFESSIONAL SERVICES AGREEMENT WITH ALPHA ANALYTICAL
LABORATORIES, INC., FOR LABORATORY WATER TESTING SERVICES FOR
CASPAR, LAYTONVILLE AND SOUTH COAST LANDFILLS**

This Amendment to Department of Transportation (DOT) Agreement Number (No.) 160098 / Board of Supervisors (BOS) Agreement No. 17-004 is entered into this 15th day of March, 2022, by and between the COUNTY OF MENDOCINO, a political subdivision of the State of California, hereinafter referred to as "COUNTY" and Alpha Analytical Laboratories, Inc., hereinafter referred to as "CONSULTANT".

WHEREAS, DOT Agreement No. 160098 / BOS Agreement No. 17-004 was entered into on January 24, 2017; and

WHEREAS, upon execution of this document by the Chair of the Mendocino County Board of Supervisors and CONSULTANT, this document will become part of the aforementioned contract and shall be incorporated therein; and

WHEREAS, it is the desire of CONSULTANT and COUNTY to extend the termination date set out in the original DOT Agreement No. 160098 / BOS Agreement No. 17-004, from December 31, 2021 to December 31, 2023; and

WHEREAS, CONSULTANT and COUNTY agree it is appropriate to update the billing rates for future services performed under DOT Agreement No. 160098 / BOS Agreement No. 17-004.

NOW, THEREFORE, we agree as follows:

1. The termination date set out in the original DOT Agreement No. 160098 / BOS Agreement No. 17-004 is extended from December 31, 2021 to December 31, 2023.
2. Attachment 1 to Exhibit A is hereby replaced and superseded by the Attachment 1 that is attached to this Amendment, which billing rates shall apply to all invoices for the time period stated therein.
3. All other terms and conditions of DOT Agreement No. 160098 / BOS Agreement No. 17-004 shall remain in full force and effect.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement as of the day and year first above written.

DEPARTMENT FISCAL REVIEW: Transportation

Howard N. Dashiell 2/10/22
HOWARD N. DASHIELL, Director DATE

Budgeted: ☒ Yes ☐ No

Budget Unit: 4511

Line Item: 86-2189

Grant: ☐ Yes ☒ No

Grant No.: _____

COUNTY OF MENDOCINO

By: TW
TED WILLIAMS, Chair 3/17/2022
BOARD OF SUPERVISORS

ATTEST:

CARMEL J. ANGELO, Clerk of said Board

By: Amara
Deputy 3/17/2022

I hereby certify that according to the provisions of Government Code section 25103, delivery of this document has been made.

CARMEL J. ANGELO, Clerk of said Board

By: Amara
3/17/2022 Deputy

INSURANCE REVIEW:

By: Amara 02/04/2022
Risk Management

EXECUTIVE OFFICE/FISCAL REVIEW:

APPROVAL RECOMMENDED

By: Amara 02/04/2022
Deputy CEO

Signatory Authority: \$0-25,000 Department; \$25,001-50,000 Purchasing Agent; \$50,001+ Board of Supervisors

Exception to Bid Process Required/Completed ☐

Mendocino County Business License: Valid ☐

Exempt Pursuant to MCC Section: _____

CONSULTANT/COMPANY NAME:

By: Alpha Analytical Laboratories, Inc.

NAME AND ADDRESS OF CONSULTANT:

Alpha Analytical Laboratories, Inc.

208 Mason Street

Ukiah, CA 95482

By signing above, signatory warrants and represents that he/she executed this Agreement in his/her authorized capacity and that by his/her signature on this Agreement, he/she or the entity upon behalf of which he/she acted, executed this Agreement

COUNTY COUNSEL REVIEW:

APPROVED AS TO FORM:

CHRISTIAN M. CURTIS,
County Counsel

By: Matthew Kiedrowski
Deputy



ATTACHMENT 1

Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Water					
27 Metals in Water	varies	1	10	\$175.00	\$175.00
8081/8082 Pest/PCB	EPA 8081A/8082	1	10	\$175.00	\$175.00
8141A OPP	EPA 8141A	1	10	\$175.00	\$175.00
8151 Herbicides Water	EPA 8151A	1	10	\$175.00	\$175.00
8260B Full List	EPA 8260B	1	10	\$165.00	\$165.00
8270 Appendix II	EPA 8270C	1	10	\$350.00	\$350.00
Al Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
As Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
B Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00
BaTotal ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
Bicarbonate Alkalinity 2320B	SM2320B	1	10	\$20.00	\$20.00
Ca Total 200.7	EPA 200.7	1	10	\$20.00	\$20.00
Chloride 300.0	EPA 300.0	1	10	\$20.00	\$20.00
COD-SM5220D	SM5220D	1	10	\$30.00	\$30.00
Conductivity-120.1	SM2510B	1	10	\$15.00	\$15.00
Cr Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
Cu Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
Fe Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00
Fluoride 300.0	EPA 300.0	1	10	\$30.00	\$30.00
GeoTracker EDT (25% of invoice amount)	-	1	10	\$50.00	\$50.00
Handling & Disposal (per sample source)	-	1	10	\$5.00	\$5.00
Inorganics (dissolved) - Landfill COC	varies	1	10	\$500.00	\$500.00
K Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00
Mg Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00
Mn Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Pricing Summary

Parameter	Method	Quantity	TAT (days)	Unit Price	Extended Price
Mo Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
Na Total ICP 200.7	EPA 200.7	1	10	\$20.00	\$20.00
Nitrate as N 300.0	EPA 300.0	1	10	\$30.00	\$30.00
O&G (HEM)	EPA 1664A	1	10	\$85.00	\$85.00
Pb Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
pH Field	SM4500-H+ B	1	10	\$10.00	\$10.00
Solids, TDS-SM2540C	SM2540C	1	10	\$30.00	\$30.00
Solids, TSS-SM2540D	SM2540D	1	10	\$30.00	\$30.00
Sulfate 300.0	EPA 300.0	1	10	\$20.00	\$20.00
Ti Total ICP/MS 200.8	EPA 200.8	1	10	\$20.00	\$20.00
TPH D/MO	EPA 8015B	1	10	\$85.00	\$85.00
TPH G	EPA 8015B	1	10	\$70.00	\$70.00
Turbidity-180.1	SM2130B	1	10	\$10.00	\$10.00
				Bid Total:	\$2,555.00

Robbie Phillips
Project Manager



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

27 Metals in Water consists of:

Ag Total ICP 6010	As Total ICP 6010	B Total ICP 6010
Ba Total ICP 6010	Be Total ICP 6010	Ca Total ICP 6010
Cd Total ICP 6010	Co Total ICP 6010	Cr Total ICP 6010
Hg Total CVAA 7470	K Total ICP 6010	Mg Total ICP 6010
Mo Total ICP 6010	Na Total ICP 6010	Ni Total ICP 6010
Pb Total ICP 6010	Sb Total ICP 6010	Se Total ICP 6010
Sn Total ICP 6010	Ti Total ICP 6010	Tl Total ICP 6010
V Total ICP 6010		

Inorganics (dissolved) - Landfill COC consists of:

Aluminum Diss EPA 6020B	Antimony Diss EPA 6020B	As Diss EPA 6020B
Barium Diss EPA 6020B	Beryllium Diss EPA 6020B	Bicarbonate Alkalinity Dissolved 2320
Ca Diss ICP 6010	Cadmium Diss EPA 6020B	Chromium Diss EPA 6020B
Cobalt Diss EPA 6020B	Copper Diss EPA 6020B	Cyanide, Dissolved
Dissolved Chloride 300.0	Dissolved Sulfate 300.0	Iron Diss EPA 6020B
K Diss ICP 6010	Lead Diss EPA 6020B	Manganese Diss EPA 6020B
Mercury Diss EPA 6020B	Na Diss ICP 6010	Nickel Diss EPA 6020B
Selenium Diss EPA 6020B	Silver Diss EPA 6020B	Sulfide Dissolved
Thallium Diss EPA 6020B	Tin Diss EPA 6020B	Vanadium Diss EPA 6020B
Zinc Diss EPA 6020B		



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

27 Metals in Water by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

8141A OPP by EPA 8141A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

8151 Herbicides Water by EPA 8151A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

AI Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

As Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

B Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

BaTotal ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Bicarbonate Alkalinity 2320B by SM2320B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

Ca Total 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Chloride 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

COD-SM5220D by SM5220D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			

Conductivity-120.1 by SM2510B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$15.00	\$15.75	\$16.50	\$17.25	\$18.00	\$18.75	\$21.00
3 days	2 days	1 day	Same Day			
\$22.50	\$26.25	\$30.00	\$45.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

Cr Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Cu Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Fe Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Fluoride 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

GeoTracker EDT (25% of invoice amount) by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$50.00	\$50.00	\$50.00	\$50.00	\$50.00	\$50.00	\$50.00
3 days	2 days	1 day	Same Day			
\$50.00	\$50.00	\$50.00	\$50.00			

Handling & Disposal (per sample source) by -

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00	\$5.00
3 days	2 days	1 day	Same Day			
\$5.00	\$5.00	\$5.00	\$5.00			

Inorganics (dissolved) - Landfill COC by varies

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$500.00	\$525.00	\$550.00	\$575.00	\$600.00	\$625.00	\$700.00
3 days	2 days	1 day	Same Day			
\$750.00	\$875.00	\$1,000.00	\$1,500.00			

K Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

Mg Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Mn Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Mo Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Na Total ICP 200.7 by EPA 200.7

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

8081/8082 Pest/PCB by EPA 8081A/8082

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$175.00	\$183.75	\$192.50	\$201.25	\$210.00	\$218.75	\$245.00
3 days	2 days	1 day	Same Day			
\$262.50	\$306.25	\$350.00	\$525.00			

8260B Full List by EPA 8260B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$165.00	\$173.25	\$181.50	\$189.75	\$198.00	\$206.25	\$231.00
3 days	2 days	1 day	Same Day			
\$247.50	\$288.75	\$330.00	\$495.00			

8270 Appendix II by EPA 8270C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$350.00	\$367.50	\$385.00	\$402.50	\$420.00	\$437.50	\$490.00
3 days	2 days	1 day	Same Day			
\$525.00	\$612.50	\$700.00	\$1,050.00			

TPH D/MO by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$85.00	\$89.25	\$93.50	\$97.75	\$102.00	\$106.25	\$119.00
3 days	2 days	1 day	Same Day			
\$127.50	\$148.75	\$170.00	\$255.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

TPH G by EPA 8015B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$70.00	\$73.50	\$77.00	\$80.50	\$84.00	\$87.50	\$98.00
3 days	2 days	1 day	Same Day			
\$105.00	\$122.50	\$140.00	\$210.00			

Nitrate as N 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			

O&G (HEM) by EPA 1664A

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$85.00	\$89.25	\$93.50	\$97.75	\$102.00	\$106.25	\$119.00
3 days	2 days	1 day	Same Day			
\$127.50	\$148.75	\$170.00	\$255.00			

Pb Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

pH Field by SM4500-H+ B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.50	\$11.00	\$11.50	\$12.00	\$12.50	\$14.00
3 days	2 days	1 day	Same Day			
\$15.00	\$17.50	\$20.00	\$30.00			

Solids, TDS-SM2540C by SM2540C

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			

Solids, TSS-SM2540D by SM2540D

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$30.00	\$31.50	\$33.00	\$34.50	\$36.00	\$37.50	\$42.00
3 days	2 days	1 day	Same Day			
\$45.00	\$52.50	\$60.00	\$90.00			

Sulfate 300.0 by EPA 300.0

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Turnaround Pricing

Ti Total ICP/MS 200.8 by EPA 200.8

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$20.00	\$21.00	\$22.00	\$23.00	\$24.00	\$25.00	\$28.00
3 days	2 days	1 day	Same Day			
\$30.00	\$35.00	\$40.00	\$60.00			

Turbidity-180.1 by SM2130B

10 days	9 days	8 days	7 days	6 days	5 days	4 days
\$10.00	\$10.50	\$11.00	\$11.50	\$12.00	\$12.50	\$14.00
3 days	2 days	1 day	Same Day			
\$15.00	\$17.50	\$20.00	\$30.00			



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Analysis Details								
Analyte	MDL	Reporting Limit	Surrogate %R	Dup RPD	Matrix Spike %R RPD		Blank Spike %R RPD	
Field Analyses								
pH Field in Water (SM4500-H+ B)								
pH	1.680	1.680 pH Units		20				
Metals by EPA 200 Series Methods								
B Total ICP 200.7 in Water (EPA 200.7)								
Boron	0.060	0.20 mg/L		20	70 - 130	20	85 - 115	20
Ca Total 200.7 in Water (EPA 200.7)								
Calcium	0.080	1.0 mg/L		20	70 - 130	20	85 - 115	20
Fe Total ICP 200.7 in Water (EPA 200.7)								
Iron	0.050	0.10 mg/L		20	70 - 130	20	85 - 115	20
K Total ICP 200.7 in Water (EPA 200.7)								
Potassium	0.090	1.0 mg/L		20	70 - 130	20	85 - 115	20
Mg Total ICP 200.7 in Water (EPA 200.7)								
Magnesium	0.030	1.0 mg/L		20	70 - 130	20	85 - 115	20
Magnesium	0.030	1.0 mg/L		20	70 - 130	20	85 - 115	20
Mn Total ICP 200.7 in Water (EPA 200.7)								
Manganese	0.0060	0.020 mg/L		20	70 - 130	20	85 - 115	20
Na Total ICP 200.7 in Water (EPA 200.7)								
Sodium	0.40	1.0 mg/L		20	70 - 130	20	85 - 115	20

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Metals by EPA Method 200.8 ICP/MS

Al Total ICP/MS 200.8 in Water (EPA 200.8)

Aluminum	5.0	10 ug/L	20	70 - 130	20	85 - 115	20
----------	-----	---------	----	----------	----	----------	----

As Total ICP/MS 200.8 in Water (EPA 200.8)

Arsenic	0.40	0.50 ug/L	20	70 - 130	20	85 - 115	20
---------	------	-----------	----	----------	----	----------	----

Ba Total ICP/MS 200.8 in Water (EPA 200.8)

Barium	0.20	0.50 ug/L	20	70 - 130	20	85 - 115	20
--------	------	-----------	----	----------	----	----------	----

Cr Total ICP/MS 200.8 in Water (EPA 200.8)

Chromium	0.50	0.50 ug/L	20	70 - 130	20	85 - 115	20
----------	------	-----------	----	----------	----	----------	----

Cu Total ICP/MS 200.8 in Water (EPA 200.8)

Copper	0.40	0.50 ug/L	20	70 - 130	20	85 - 115	20
--------	------	-----------	----	----------	----	----------	----

Mo Total ICP/MS 200.8 in Water (EPA 200.8)

Molybdenum	0.070	0.25 ug/L	20	70 - 130	20	85 - 115	20
------------	-------	-----------	----	----------	----	----------	----

Pb Total ICP/MS 200.8 in Water (EPA 200.8)

Lead	0.060	0.25 ug/L	20	70 - 130	20	85 - 115	20
------	-------	-----------	----	----------	----	----------	----

Ti Total ICP/MS 200.8 in Water (EPA 200.8)

Titanium	0.40	50 ug/L	20	70 - 130	20	85 - 115	20
----------	------	---------	----	----------	----	----------	----

Metals (Dissolved) by EPA 200 Series Methods

Silver Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Aluminum Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

As Diss EPA 6020B in Water (EPA 200.7)

Arsenic, dissolved	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
--------------------	--------	------------	----	----------	----	----------	----

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Barium Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Beryllium Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Cadmium Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Cobalt Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Chromium Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Copper Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Iron Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Mercury Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Manganese Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Nickel Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Lead Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Antimony Diss EPA 6020B in Water (EPA 200.7)

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
---------------------	-------	------------	----	----------	----	----------	----

Selenium Diss EPA 6020B in Water (EPA 200.7)

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Tin Diss EPA 6020B in Water (EPA 200.7)							
Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Thallium Diss EPA 6020B in Water (EPA 200.7)							
Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Vanadium Diss EPA 6020B in Water (EPA 200.7)							
Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Zinc Diss EPA 6020B in Water (EPA 200.7)							
Aluminum, dissolved	0.020	0.050 mg/L	20	70 - 130	20	85 - 115	20
Metals by EPA 6000/7000 Series Methods							
Ag Total ICP 6010 in Water (EPA 6010B)							
Silver	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
As Total ICP 6010 in Water (EPA 6010B)							
Arsenic	0.0040	0.010 mg/L	20	70 - 130	20	85 - 115	20
B Total ICP 6010 in Water (EPA 6010B)							
Boron	0.060	0.20 mg/L	20	70 - 130	20	85 - 115	20
Ba Total ICP 6010 in Water (EPA 6010B)							
Barium	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20
Be Total ICP 6010 in Water (EPA 6010B)							
Beryllium	0.00020	0.0010 mg/L	20	70 - 130	20	85 - 115	20
Ca Total ICP 6010 in Water (EPA 6010B)							
Calcium	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
Cd Total ICP 6010 in Water (EPA 6010B)							
Cadmium	0.0010	0.010 mg/L	20	70 - 130	20	85 - 115	20

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Co Total ICP 6010 in Water (EPA 6010B)

Cobalt	0.0020	0.020 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	------------	----	----------	----	----------	----

Cr Total ICP 6010 in Water (EPA 6010B)

Chromium	0.0040	0.050 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Hg Total CVAA 7470 in Water (EPA 7470A)

Mercury	0.000060	0.0010 mg/L	20	60 - 140	20	80 - 120	20
---------	----------	-------------	----	----------	----	----------	----

K Total ICP 6010 in Water (EPA 6010B)

Potassium	0.090	1.0 mg/L	20	70 - 130	20	85 - 115	20
-----------	-------	----------	----	----------	----	----------	----

Mg Total ICP 6010 in Water (EPA 6010B)

Magnesium	0.030	1.0 mg/L	20	70 - 130	20	85 - 115	20
-----------	-------	----------	----	----------	----	----------	----

Mo Total ICP 6010 in Water (EPA 6010B)

Molybdenum	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
------------	--------	-----------	----	----------	----	----------	----

Na Total ICP 6010 in Water (EPA 6010B)

Sodium	0.40	1.0 mg/L	20	70 - 130	20	85 - 115	20
--------	------	----------	----	----------	----	----------	----

Ni Total ICP 6010 in Water (EPA 6010B)

Nickel	0.0030	0.10 mg/L	20	70 - 130	20	85 - 115	20
--------	--------	-----------	----	----------	----	----------	----

Pb Total ICP 6010 in Water (EPA 6010B)

Lead	0.0070	0.050 mg/L	20	70 - 130	20	85 - 115	20
------	--------	------------	----	----------	----	----------	----

Sb Total ICP 6010 in Water (EPA 6010B)

Antimony	0.0060	0.020 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Se Total ICP 6010 in Water (EPA 6010B)

Selenium	0.0080	0.020 mg/L	20	70 - 130	20	85 - 115	20
----------	--------	------------	----	----------	----	----------	----

Sn Total ICP 6010 in Water (EPA 6010B)

Tin	0.0060	0.50 mg/L	20	70 - 130	20	85 - 115	20
-----	--------	-----------	----	----------	----	----------	----

Ti Total ICP 6010 in Water (EPA 6010B)

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Titanium	0.020	0.50 mg/L	20	70 - 130	20	85 - 115	20
TI Total ICP 6010 in Water (EPA 6010B)							
Thallium	0.0030	0.40 mg/L	20	70 - 130	20	85 - 115	20
V Total ICP 6010 in Water (EPA 6010B)							
Vanadium	0.0030	0.50 mg/L	20	70 - 130	20	85 - 115	20
Metals (Dissolved) by EPA 6000/7000 Series Methods							
Ca Diss ICP 6010 in Water (EPA 6010B)							
Calcium, dissolved	0.080	1.0 mg/L	20	70 - 130	20	85 - 115	20
K Diss ICP 6010 in Water (EPA 6010B)							
Potassium, dissolved	0.090	1.0 mg/L	20	70 - 130	20	85 - 115	20
Na Diss ICP 6010 in Water (EPA 6010B)							
Sodium, dissolved	0.90	1.0 mg/L	20	70 - 130	20	85 - 115	20
Conventional Chemistry Parameters by APHA/EPA Methods							
Bicarbonate Alkalinity 2320B in Water (SM2320B)							
Bicarbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
Bicarbonate Alkalinity Dissolved 2320B in Water (SM2320B)							
Bicarbonate Alkalinity as CaCO ₃	1.0	5.0 mg/L	20				
COD-SM5220D in Water (SM5220D)							
Chemical Oxygen Demand	20	50 mg/L	20	85 - 115	20	85 - 115	20
Conductivity-120.1 in Water (SM2510B)							
Specific Conductance (EC)	1.0	20 umhos/cm	5				
O&G (HEM) in Water (EPA 1664A)							
Oil & Grease (HEM)	1.4	5.0 mg/L	18	78 - 114	18	78 - 114	18

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Solids, TDS-SM2540C in Water (SM2540C)								
Total Dissolved Solids	10	10 mg/L	15	80 - 120	20			
Total Dissolved Solids	10	10 mg/L	15	80 - 120	20			
Solids, TSS-SM2540D in Water (SM2540D)								
Total Suspended Solids	1.0	1.0 mg/L	30					
Sulfide Dissolved in Water (SM4500-S2 D)								
Sulfide, dissolved	0.050	0.10 mg/L	15	80 - 120	15	80 - 120	15	
Turbidity-180.1 in Water (SM2130B)								
Turbidity	0.10	0.10 NTU	20					
Miscellaneous Physical/Conventional Chemistry Parameters								
Cyanide, Dissolved in Water (10-204-00-1X)								
Cyanide (Dissolved)	0.0020	0.020 mg/L	25	85 - 115	25	85 - 115	25	
Anions by EPA Method 300.0								
Chloride 300.0 in Water (EPA 300.0)								
Chloride	0.10	0.50 mg/L	20	80 - 120	20	90 - 110	20	
Dissolved Chloride 300.0 in Water (EPA 300.0)								
Sulfate as SO ₄ , dissolved	0.20	0.50 mg/L	20		20		20	
Fluoride 300.0 in Water (EPA 300.0)								
Fluoride	0.020	0.10 mg/L	20	80 - 120	20	90 - 110	20	
Nitrate as N 300.0 in Water (EPA 300.0)								
Nitrate as N	0.040	0.20 mg/L	20	80 - 120	20	90 - 110	20	
Nitrate as N	0.040	0.20 mg/L	20	80 - 120	20	90 - 110	20	
Sulfate 300.0 in Water (EPA 300.0)								
Sulfate as SO ₄	0.20	0.50 mg/L	20	80 - 120	20	90 - 110	20	

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Sulfate as SO ₄	0.20	0.50 mg/L	20	80 - 120	20	90 - 110	20
Dissolved Sulfate 300.0 in Water (EPA 300.0)							
Sulfate as SO ₄ , dissolved	0.20	0.50 mg/L	20		20		20
TPH by EPA GC Methods							
TPH D/MO in Water (EPA 8015B)							
TPH as Diesel	20	50 ug/L		70 - 130	20	70 - 130	20
TPH as Motor Oil	100	200 ug/L			20		20
surr: o-Terphenyl			60 - 140				
TPH G in Water (EPA 8015B)							
TPH as Gasoline	50	50 ug/L	25	60 - 140	20	70 - 130	20
surr: Trifluorotoluene (TFT)	0.20		60 - 140				
Volatile Organic Compounds by EPA Method 8260B							
8260B Full List in Water (EPA 8260B)							
Dichlorodifluoromethane	0.20	1.0 ug/L			25		20
Chloromethane	0.20	1.0 ug/L			25		20
Vinyl chloride	0.20	1.0 ug/L			25		20
Bromomethane	0.20	1.0 ug/L			25		20
Chloroethane	0.20	1.0 ug/L			25		20
Trichlorofluoromethane	0.20	1.0 ug/L			25		20
1,1-Dichloroethene	0.20	1.0 ug/L		60 - 140	25	70 - 130	20
Trichlorotrifluoroethane	0.20	1.0 ug/L			25		20
Tert-butyl alcohol	10	25 ug/L			25		20
Methyl iodide	0.20	1.0 ug/L			25		20
Methylene chloride	0.20	1.0 ug/L			25		20
Carbon disulfide	0.20	1.0 ug/L			25		20
Methyl tert-butyl ether	0.20	1.0 ug/L	25		25		20

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

trans-1,2-Dichloroethene	0.20	1.0 ug/L	25	20
1,1-Dichloroethane	0.20	1.0 ug/L	25	20
Di-isopropyl ether	0.20	1.0 ug/L	25	20
cis-1,2-Dichloroethene	0.20	1.0 ug/L	25	20
2,2-Dichloropropane	0.20	1.0 ug/L	25	20
Chloroform	0.20	1.0 ug/L	25	20
Bromochloromethane	0.20	1.0 ug/L	25	20
Tetrahydrofuran	0.20	1.0 ug/L	25	20
1,1,1-Trichloroethane	0.20	1.0 ug/L	25	20
1,2-Dichloroethane	0.20	1.0 ug/L	25	20
1,1-Dichloropropene	0.20	1.0 ug/L	25	20
Carbon tetrachloride	0.20	1.0 ug/L	25	20
Benzene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
Tert-amyl methyl ether	0.20	1.0 ug/L	25	20
Trichloroethene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
1,2-Dichloropropane	0.20	1.0 ug/L	25	20
Dibromomethane	0.20	1.0 ug/L	25	20
Methyl methacrylate	0.20	1.0 ug/L	25	20
Bromodichloromethane	0.20	1.0 ug/L	25	20
cis-1,3-Dichloropropene	0.20	1.0 ug/L	25	20
Toluene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
trans-1,3-Dichloropropene	0.20	1.0 ug/L	25	20
1,1,2-Trichloroethane	0.20	1.0 ug/L	25	20
1,3-Dichloropropane	0.20	1.0 ug/L	25	20
Dibromochloromethane	0.20	1.0 ug/L	25	20
Tetrachloroethene	0.20	1.0 ug/L	25	20
1,2-Dibromoethane (EDB)	0.20	1.0 ug/L	25	20
Chlorobenzene	0.20	1.0 ug/L	60 - 140 25	70 - 130 20
1,1,1,2-Tetrachloroethane	0.20	1.0 ug/L	25	20

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Ethylbenzene	0.20	1.0 ug/L	25	20
m,p-Xylene	0.20	1.0 ug/L	25	20
o-Xylene	0.20	1.0 ug/L	25	20
Xylenes (total)	0.20	1.0 ug/L	25	20
Styrene	0.20	1.0 ug/L	25	20
Bromoform	0.20	1.0 ug/L	25	20
1,1,2,2-Tetrachloroethane	0.20	1.0 ug/L	25	20
Isopropylbenzene	0.20	1.0 ug/L	25	20
1,2,3-Trichloropropane	0.20	1.0 ug/L	25	20
Bromobenzene	0.20	1.0 ug/L	25	20
n-Propylbenzene	0.20	1.0 ug/L	25	20
2-Chlorotoluene	0.20	1.0 ug/L	25	20
4-Chlorotoluene	0.20	1.0 ug/L	25	20
1,3,5-Trimethylbenzene	0.20	1.0 ug/L	25	20
tert-Butylbenzene	0.20	1.0 ug/L	25	20
1,2,4-Trimethylbenzene	0.20	1.0 ug/L	25	20
sec-Butylbenzene	0.20	1.0 ug/L	25	20
1,3-Dichlorobenzene	0.20	1.0 ug/L	25	20
p-Isopropyltoluene	0.20	1.0 ug/L	25	20
1,4-Dichlorobenzene	0.20	1.0 ug/L	25	20
Ethyl tert-butyl ether	0.40	1.0 ug/L		
1,2-Dichlorobenzene	0.20	1.0 ug/L	25	20
n-Butylbenzene	0.20	1.0 ug/L	25	20
1,2-Dibromo-3-chloropropane	0.20	1.0 ug/L	25	20
1,2,4-Trichlorobenzene	0.20	1.0 ug/L	25	20
Naphthalene	0.20	1.0 ug/L	25	20
Hexachlorobutadiene	0.20	1.0 ug/L	25	20
1,2,3-Trichlorobenzene	0.20	1.0 ug/L	25	20
Methyl ethyl ketone	5.1	15 ug/L	25	20

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Methyl isobutyl ketone	2.5	10 ug/L	25	20
surr: Dibromofluoromethane	1.0	70 - 130		
surr: Toluene-d8	1.0	70 - 130		
surr: Bromofluorobenzene	1.0	70 - 130		

Organochlorine Pesticides and PCBs by EPA Method 8081/8082

8081/8082 Pest/PCB in Water (EPA 8081A/8082)

Aldrin	0.0090	0.010 ug/L	46 - 119	27	43 - 120	20
alpha-BHC	0.0080	0.010 ug/L		20		20
beta-BHC	0.020	0.050 ug/L		20		20
delta-BHC	0.020	0.050 ug/L		20		20
gamma-BHC (Lindane)	0.0080	0.010 ug/L	61 - 130	20	59 - 122	20
Chlordane-alpha	0.020	0.050 ug/L				
Chlordane-gamma	0.020	0.050 ug/L				
4,4'-DDD	0.020	0.020 ug/L		20		20
4,4'-DDE	0.020	0.020 ug/L		20		20
4,4'-DDT	0.020	0.020 ug/L	54 - 143	20	79 - 143	20
Dieldrin	0.0070	0.010 ug/L	60 - 132	20	80 - 124	20
Endosulfan I	0.0090	0.010 ug/L		20		20
Endosulfan II	0.020	0.020 ug/L		20		20
Endosulfan sulfate	0.020	0.050 ug/L		20		20
Endrin	0.0090	0.010 ug/L	61 - 156	20	59 - 176	20
Endrin aldehyde	0.020	0.050 ug/L		20		30
Heptachlor	0.010	0.020 ug/L	57 - 125	20	67 - 120	20
Heptachlor epoxide	0.020	0.020 ug/L		20		20
Methoxychlor	0.020	0.020 ug/L		20		20
Toxaphene	0.10	0.50 ug/L				
PCB-1016	0.080	0.50 ug/L				
PCB-1221	0.20	0.50 ug/L				

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

PCB-1232	0.10	0.50 ug/L	
PCB-1242	0.040	0.50 ug/L	
PCB-1248	0.060	0.50 ug/L	
PCB-1254	0.040	0.50 ug/L	
PCB-1260	0.040	0.50 ug/L	
PCB-1262	0.040	0.50 ug/L	
surr: 2,4,5,6 Tetrachloro-m-xylene			70 - 135
surr: Decachlorobiphenyl			70 - 135

Chlorinated Herbicides by EPA Method 8151A

8151 Herbicides Water in Water (EPA 8151A)

2,4-D	1.0	1.0 ug/L	70 - 130	50	80 - 120	50
2,4-DB	1.0	5.0 ug/L	70 - 130	50	80 - 120	50
2,4,5-T	0.20	0.50 ug/L	70 - 130	50	80 - 120	50
2,4,5-TP (Silvex)	0.20	0.50 ug/L	70 - 130	50	80 - 120	50
Dalapon	2.0	6.0 ug/L	70 - 130	50	80 - 120	50
Dicamba	0.10	0.40 ug/L	70 - 130	50	80 - 120	50
Dinoseb	0.20	1.0 ug/L	70 - 130	50	80 - 120	50
Dichlorprop	0.40	1.0 ug/L	70 - 130	50	80 - 120	50
Pentachlorophenol	0.20	0.20 ug/L	70 - 130	50	80 - 120	50
Picloram	0.10	1.0 ug/L	70 - 130	50	80 - 120	50
surr: DCAA						62 - 124

Organophosphorus Compounds by EPA Method 8141A

8141A OPP in Water (EPA 8141A)

Azinphos ethyl	1.0	2.0 ug/L	44 - 154	30	44 - 154	30
Azinphos methyl	0.40	2.0 ug/L	42 - 147	30	42 - 147	30
Bolstar	0.30	2.0 ug/L	35 - 144	30	35 - 144	30

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Chlorpyrifos	0.70	1.0 ug/L	50 - 134	30	50 - 134	30
Coumaphos	0.80	2.0 ug/L	47 - 152	30	47 - 152	30
Demeton-o	0.20	2.0 ug/L	18 - 128	30	18 - 128	30
Demeton-s	0.30	2.0 ug/L	43 - 125	30	43 - 125	30
Diazinon	0.30	0.50 ug/L	50 - 121	30	50 - 121	30
Dichlorvos	0.40	2.0 ug/L	77 - 143	30	77 - 143	30
Dimethoate	1.0	2.0 ug/L	37 - 133	30	37 - 133	30
Disulfoton	0.30	2.0 ug/L	50 - 119	30	50 - 119	30
EPN	0.50	2.0 ug/L	55 - 140	30	55 - 140	30
Ethion	0.80	2.0 ug/L	38 - 137	30	38 - 137	30
Ethoprop (Ethoprophos)	0.40	2.0 ug/L	67 - 130	30	67 - 130	30
Famphur	1.0	2.0 ug/L	40 - 147	30	40 - 147	30
Fensulfothion	0.80	2.0 ug/L	35 - 157	30	35 - 157	30
Fenthion	0.50	2.0 ug/L	56 - 125	30	56 - 125	30
Malathion	0.80	2.0 ug/L	39 - 127	30	39 - 127	30
Mevinphos	0.80	2.0 ug/L	58 - 125	30	58 - 125	30
Parathion	0.90	2.0 ug/L	33 - 137	30	33 - 137	30
Parathion-methyl	0.40	2.0 ug/L	52 - 134	30	52 - 134	30
Phorate	0.40	2.0 ug/L	58 - 119	30	58 - 119	30
Simazine	0.50	2.0 ug/L	37 - 136	30	37 - 136	30
Ronnel	0.30	2.0 ug/L	41 - 135	30	41 - 135	30
Stirofos	0.30	2.0 ug/L	34 - 151	30	34 - 151	30
Thionazin	1.0	2.0 ug/L	60 - 118	30	60 - 118	30
Tokuthion (Prothiofos)	0.40	2.0 ug/L	41 - 136	30	41 - 136	30
Trichloronate	0.40	2.0 ug/L	36 - 146	30	36 - 146	30
surr: Tributyl phosphate			37 - 115			
surr: Triphenyl phosphate			44 - 145			

Semivolatile Organic Compounds by EPA Method 8270C

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

8270 Appendix II in Water (EPA 8270C)

Acenaphthene	0.60	10 ug/L	47 - 145	48	60 - 132	27
Acenaphthylene	0.50	10 ug/L		74		25
Anthracene	0.40	10 ug/L		66		25
Benzo (a) anthracene	0.40	10 ug/L		53		25
Benzo (a) pyrene	0.50	10 ug/L		72		25
Benzo (b) fluoranthene	0.60	10 ug/L		71		25
Benzo (g,h,i) perylene	0.90	10 ug/L		97		40
Benzo (k) fluoranthene	0.50	10 ug/L		63		25
Benzyl alcohol	3.0	20 ug/L		31		31
Bis(2-chloroethoxy)methane	0.90	10 ug/L		54		28
Bis(2-chloroethyl)ether	0.90	10 ug/L		108		35
Benzidine	5.0	50 ug/L	4 - 262	108	12 - 151	42
Bis(2-chloroisopropyl)ether	1.0	10 ug/L		76		36
Bis(2-ethylhexyl)phthalate	3.0	10 ug/L		82		25
4-Bromophenyl phenyl ether	1.0	10 ug/L		43		25
Butyl benzyl phthalate	0.60	10 ug/L		60		34
4-Chloro-3-methylphenol	1.0	10 ug/L	22 - 147	73	41 - 128	35
4-Chloroaniline	1.0	20 ug/L		25		25
2-Chloronaphthalene	0.60	10 ug/L		24		28
2-Chlorophenol	0.70	10 ug/L	23 - 134	61	36 - 120	37
4-Chlorophenyl phenyl ether	0.90	10 ug/L		61		27
Chrysene	0.80	10 ug/L		87		25
Di-n-butyl phthalate	0.90	10 ug/L		47		30
Di-n-octyl phthalate	0.60	10 ug/L		69		29
Dibenz (a,h) anthracene	0.80	10 ug/L		126		39
Dibenzofuran	0.90	10 ug/L		29		29
1,2-Dichlorobenzene	0.60	10 ug/L		41		38
1,3-Dichlorobenzene	0.60	10 ug/L		41		41

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

1,4-Dichlorobenzene	0.60	10 ug/L	3 - 105	42	32 - 91	41
3,3'-Dichlorobenzidine	5.0	50 ug/L	4 - 262	108	8 - 120	39
2,4-Dichlorophenol	0.70	10 ug/L		50		34
Diethyl phthalate	0.30	10 ug/L		100		34
Dimethyl phthalate	0.80	10 ug/L		183		42
2,4-Dimethylphenol	1.0	10 ug/L		58		62
4,6-Dinitro-2-methylphenol	3.0	50 ug/L		203		50
2,4-Dinitrophenol	5.0	50 ug/L		132		55
2,4-Dinitrotoluene	0.80	10 ug/L	39 - 139	42	48 - 127	32
2,6-Dinitrotoluene	0.80	10 ug/L	50 - 158	48	68 - 137	27
1,2-Diphenylhydrazine	0.60	10 ug/L		25		25
Fluoranthene	0.80	10 ug/L		66		29
Fluorene	0.80	10 ug/L		38		28
Hexachlorobenzene	0.90	10 ug/L		55		25
Hexachlorobutadiene	0.80	10 ug/L		62		40
Hexachlorocyclopentadiene	4.0	15 ug/L		55		55
Hexachloroethane	0.60	10 ug/L		52		25
Indeno (1,2,3-cd) pyrene	0.60	10 ug/L		99		39
Isophorone	0.30	10 ug/L		93		45
2-Methylnaphthalene	1.0	10 ug/L		33		33
2-Methylphenol (o-cresol)	0.60	10 ug/L		33		33
3 & 4-Methylphenol (m & p-cresol)	0.60	10 ug/L		33		33
N-Nitrosodi-n-propylamine	0.80	10 ug/L	2 - 230	87	14 - 198	37
N-Nitrosodiphenylamine	1.0	10 ug/L		25		25
N-Nitrosodimethylamine	0.30	5.0 ug/L		59		59
Naphthalene	0.70	10 ug/L		65		30
2-Nitroaniline	1.0	50 ug/L		26		25
3-Nitroaniline	5.0	50 ug/L		25		25
Nitrobenzene	0.90	10 ug/L		62		30

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

4-Nitroaniline	4.0	50 ug/L	33	33
2-Nitrophenol	0.90	10 ug/L	55	40
4-Nitrophenol	3.0	50 ug/L	7 - 132	131 13 - 129 61
Pentachlorophenol	4.0	50 ug/L	14 - 176	86 38 - 152 49
Phenanthrene	0.90	10 ug/L	39	25
Phenol	0.50	10 ug/L	5 - 120	64 17 - 120 38
Pyridine	3.0	10 ug/L	25	25
Pyrene	0.40	10 ug/L	52 - 120	49 70 - 120 38
1,2,4-Trichlorobenzene	0.60	10 ug/L	44 - 142	50 57 - 130 34
2,4,5-Trichlorophenol	0.60	10 ug/L	25	40
2,4,6-Trichlorophenol	0.70	10 ug/L	58	41
surr: 2-Fluorobiphenyl			30 - 119	
surr: 2-Fluorophenol			10 - 120	
surr: Nitrobenzene-d5			15 - 150	
surr: p-Terphenyl-d14			35 - 141	
surr: Phenol-d6			10 - 120	
surr: 2,4,6-Tribromophenol			10 - 168	
1,2,4,5-Tetrachlorobenzene	1.0	10 ug/L		
1,3,5-Trinitrobenzene	1.0	10 ug/L		
1,3-Dinitrobenzene	1.0	10 ug/L		
1,4-Naphthoquinone	1.0	10 ug/L		
1,4-Phenylenediamine	1.0	10 ug/L		
1-Methylnaphthalene	1.0	10 ug/L		
1-Naphthylamine	1.0	10 ug/L		
2,3,4,6-Tetrachlorophenol	1.0	10 ug/L		
2-Acetylaminofluorene	1.0	10 ug/L		
2-Naphthylamine	1.0	10 ug/L		
2-Picoline	1.0	10 ug/L		
3,3'-Dimethylbenzidine	1.0	10 ug/L		

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

3-Methylcholanthrene	1.0	10 ug/L
4,4'-DDD	1.0	10 ug/L
4,4'-DDE	1.0	10 ug/L
4,4'-DDT	1.0	10 ug/L
4-Aminobiphenyl	1.0	10 ug/L
4-Nitroquinoline-n-oxide	1.0	10 ug/L
5-Nitro-o-toluidine	1.0	10 ug/L
7,12-Dimethylbenz (a) anthracene	1.0	10 ug/L
a,a-Dimethylphenethylamine	1.0	10 ug/L
Acetophenone	1.0	10 ug/L
Aldrin	1.0	10 ug/L
alpha-BHC	1.0	10 ug/L
Aniline	1.0	10 ug/L
Aramite	1.0	10 ug/L
Azobenzene	1.0	10 ug/L
beta-BHC	1.0	10 ug/L
Chlorobenzilate	1.0	10 ug/L
delta-BHC	1.0	10 ug/L
Diallate (cis or trans)	1.0	10 ug/L
Dieldrin	1.0	10 ug/L
Dimethoate	1.0	10 ug/L
Dimethylaminoazobenzene	1.0	10 ug/L
Diphenylamine	1.0	10 ug/L
Disulfoton	1.0	10 ug/L
Endosulfan I	1.0	10 ug/L
Endosulfan II	1.0	10 ug/L
Endosulfan sulfate	1.0	10 ug/L
Endrin	1.0	10 ug/L
Endrin aldehyde	1.0	10 ug/L

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Ethyl methanesulfonate	1.0	10 ug/L
Famphur	1.0	10 ug/L
gamma-BHC (Lindane)	1.0	10 ug/L
Heptachlor	1.0	10 ug/L
Heptachlor epoxide	1.0	10 ug/L
Hexachlorophene	1.0	10 ug/L
Hexachloropropene	1.0	10 ug/L
Isodrin	1.0	10 ug/L
Isosafrole	1.0	10 ug/L
Kepone	1.0	10 ug/L
Methapyrilene	1.0	10 ug/L
Methoxychlor	1.0	10 ug/L
Methyl methanesulfonate	1.0	10 ug/L
Methyl parathion	1.0	10 ug/L
N-Nitrosodiethylamine	5.0	50 ug/L
N-Nitrosodi-n-butylamine	5.0	50 ug/L
N-Nitrosomethylethylamine	5.0	50 ug/L
N-Nitrosomorpholine	5.0	50 ug/L
N-Nitrosopiperidine	5.0	50 ug/L
N-Nitrosopyrrolidine	5.0	50 ug/L
O,O,O-Triethyl phosphorothioate	1.0	10 ug/L
Thionazin	1.0	10 ug/L
o-Toluidine	1.0	10 ug/L
Parathion	1.0	10 ug/L
Pentachlorobenzene	1.0	10 ug/L
Pentachloroethane	1.0	10 ug/L
Pentachloronitrobenzene	1.0	10 ug/L
Phenacetin	1.0	10 ug/L
Phorate	1.0	10 ug/L

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Pronamide	1.0	10 ug/L
Safrole	1.0	10 ug/L
Sulfotep	1.0	10 ug/L



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Matrix: Water				
8081/8082 Pest/PCB	1L Amber- Unpres.	<6°C	2 1L	7
8141A OPP	1L Amber- Unpres.	<6°C	2 1L	7
8151 Herbicides Water	1L Amber- Unpres.	<6°C	2 1L	7
8260B Full List	VOA Vial - HCl	Dechlorinate; HCl to pH<2; <6°C	4 VOA Vials	14
8270 Appendix II	1L Amber- Unpres.	<6°C	2 1L Ambers	7
Ag Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Al Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Aluminum Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Antimony Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
As Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
As Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
As Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
B Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
B Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Ba Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Barium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
BaTotal ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Be Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Beryllium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Bicarbonate Alkalinity 2320B	500mL Poly Unpres	<6°C	500 ml	14
Bicarbonate Alkalinity Dissolved 2320B	500mL Poly Unpres	<6°C	500 ml	14
Ca Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
Ca Total 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Ca Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cadmium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Cd Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Chloride 300.0	250mL Poly Unpres	None	50mL	28
Chromium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Co Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cobalt Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
COD-SM5220D	250mL Poly H2SO4	Add H2SO4 to pH<2; <6°C	100mL	28
Conductivity-120.1	250mL Poly Unpres	<6°C	100mL	28
Copper Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Cr Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cr Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Cu Total ICP/MS 200.8	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Cyanide, Dissolved	250mL Brown Poly NaOH	Dechlorinate; NaOH to pH>12, <6°C	500ml	14
Dissolved Chloride 300.0	500mL Poly Unpres	<6°C	500ml	28
Dissolved Sulfate 300.0	500mL Poly Unpres	<6°C	500ml	28
Fe Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Fluoride 300.0	250mL Poly Unpres	None	100mL	28
Hg Total CVAA 7470	250mL Poly HNO3	Add HNO3 to pH<2	100mL	28
Iron Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
K Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO3 to pH<2, <6°C	100mL	180
K Total ICP 200.7	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
K Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Lead Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Manganese Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Mercury Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Mg Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Mg Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Mg Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Mn Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Mo Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Mo Total ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Na Diss ICP 6010	250mL Poly Unpres	Filter in Field; HNO ₃ to pH<2, <6°C	100mL	180
Na Total ICP 200.7	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Na Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Ni Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Nickel Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Nitrate as N 300.0	250mL Poly Unpres	<6°C	100mL	2
Nitrate as N 300.0	250mL Poly Unpres	<6°C	100mL	2
O&G (HEM)	1L Amber-H ₂ SO ₄	Add H ₂ SO ₄ to pH<2; <6°C	2 1L	28
Pb Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Pb Total ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
pH Field	250mL Poly Unpres	<6°C	250ml	0.01
Sb Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Se Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Selenium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Silver Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Sn Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
 Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
 Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
Solids, TDS-SM2540C	250mL Poly Unpres	<6°C	100mL	7
Solids, TDS-SM2540C	250mL Poly Unpres	<6°C	100mL	7
Solids, TSS-SM2540D	1L Poly - Unpres	<6°C	1000mL	7
Sulfate 300.0	250mL Poly Unpres	<6°C	100mL	28
Sulfate 300.0	250mL Poly Unpres	<6°C	100mL	28
Sulfide Dissolved	250mL Amber-Unpres.	<6°C	200mL	7
Thallium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Ti Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Ti Total ICP/MS 200.8	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
Tin Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO ₃ to pH<2, <6°C	200ml	180
Tl Total ICP 6010	250mL Poly HNO ₃	Add HNO ₃ to pH<2	100mL	180
TPH D/MO	1L Amber- Unpres.	<6°C	2 1-LAmbers	7

Bay Area: 262 Rickenbacker Circle | Livermore, CA 94551 | T: 925-828-6226 | F: 925-828-6309 | ELAP# 2728
 Central Valley: 9090 Union Park Way Suite 113 | Elk Grove, CA 95624 | T: 916-686-5190 | F: 916-686-5192 | ELAP# 2922
 North Bay: 110 Liberty Street | Petaluma, CA 94952 | T: 707-769-3128 | F: 707-769-8093 | ELAP# 2303
 San Diego: 2722 Loker Avenue West Suite A | Carlsbad, CA 92010 | T: 760-930-2555 | F: 760-930-2510 | ELAP# 3055



Alpha Analytical Laboratories, Inc. email: clientservices@alpha-labs.com
Corporate: 208 Mason Street | Ukiah, CA 95482 | T: 707-468-0401 | F: 707-468-5267 | ELAP# 1551

Analytical Services Quotation

Contact: Amber Munoz
Client: Mendocino Co. Solid Waste Division
Address: 340 Lake Mendocino Dr.
Ukiah CA, 95482
Phone: (707) 463-4363
Project: 1_2022 Master Price Sheet

Quoted: 1/19/2022
Effective: 01/19/22
Expires: 12/31/23

Container Information				
Analysis	Container	Preservation	Volume Required	Hold (Days)
TPH G	VOA Vial - HCl	<6°C	3 VOA Vials	14
Turbidity-180.1	250mL Poly Unpres	<6°C	50mL	2
V Total ICP 6010	250mL Poly HNO3	Add HNO3 to pH<2	100mL	180
Vanadium Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180
Zinc Diss EPA 6020B	250mL Poly Unpres	Filter in Lab ASAP; HNO3 to pH<2, <6°C	200ml	180